

Non-insect arthropod types in the ZFMK collection, Bonn (Acari, Araneae, Scorpiones, Pantopoda, Amphipoda)

Bernhard A. Huber

*Zoologisches Forschungsmuseum Alexander Koenig, Bonn
Adenauerallee 160, D-53113 Bonn, Germany
E-mail: b.huber@leibniz-zfmk.de*

Abstract. The type specimens of Acari, Araneae, Scorpiones, Pantopoda, and Amphipoda deposited at the Alexander Koenig Zoological Research Museum, Bonn, are listed. 448 names are recorded; of these, 235 are represented by name bearing (i.e., primary) types. Specific and subspecific names are listed alphabetically, followed by the original genus name, bibliographic citation, present combination (as far as known to the author), and emended label data.

Key Words. type specimens, Acari, Araneae, Scorpiones, Pantopoda, Amphipoda, Bonn

INTRODUCTION

The ZFMK in Bonn has a relatively small collection of non-insect arthropods, with an emphasis on arachnids (mostly spiders, mites, and scorpions), sea spiders (Pantopoda) and amphipods. Other arachnid and crustacean orders are represented, but not by type material. A small part of the material goes back to the founder of the museum, Alexander Koenig, and was collected around 1910. Most Acari were deposited at the museum by F.S. Lukoschus (mostly Astigmata: Glyciphagidae, Atopomelidae, etc.), Pantopoda by F. Krapp (Mediterranean, Weddell Seas), and Amphipoda by G. Krapp-Schickel (Mediterranean). The spider collection was traditionally focused on the Rhineland fauna, but has received the E. Kullmann collection (Mediterranean, Afghanistan, Africa), a large collection of ground spiders from Africa (mostly Ivory Coast, Cameroon, Burkina Faso) previously deposited at Trier University, and considerable amounts of new material collected in East Africa by the BIOTA projects and in various tropical and subtropical countries (Latin America, Africa, S & SE Asia) by the author. The pholcid spider collection is unique, with about 20.000 adult specimens representing about 800 species, many of them also in absolute ethanol.

Taxa are listed by species epitheta, followed by the original genus name, both in original spelling. This is followed by the species name's author(s), the type status and identity (sex, developmental stage), and the collection data. Original label information was basically copied, except that country names were added or changed according to current usage, and minor emendations were made for homogeneity of style.

This is an updated version of the catalogue originally published by Huber & Lankhorst in 2010 in Bonn zoological Bulletin 58: 217-226.

Abbreviations:

HT: holotype, PT: paratype, ST: syntype, LT: lectotype, PLT: paralectotype
n, pn, dn, tn: (proto-, deuto-, trito-) nymph, hy: hypopus, L: larva

ACARI

- aequatorialis** [*Orycteroxenus*] Lukoschus, Gerrits & Fain, 1977b. PT, 2 slides. CONGO REP.: Mt de Brazza (near Brazzaville), host: *Crocidura aequatorialis*, 'Paris 1886-168'.
- africanus schliemannii** [*Neotetracopus*] Lukoschus & Gerrits, 1977. PT, 5 slides. MALAWI ("Nyasaland"): Blantyre, host: *Crocidura* sp., 25.ix.1908 (K. Fricke), 'Hamburg T 135'.
- alatus** [*Murichirus (Murichirus)*] Fain & Lukoschus, 1981d. 1♂ 1♀ PT, 2 slides. AUSTRALIA: Wanjarri Reserve, host: *Notomys alexis alatus*, 8.i.1975 (P. Lambert), 'WAM M12 964'.
- allactaga** [*Cheyletus*] Fain & Lukoschus, 1981a. 1♀ PT. MONGOLIA: Chovd-gol, host: *Allactaga sibirica*, 2.vi.1975 (M. Stubbe), '72'.
- allactaga** [*Criniscansor*] Fain & Lukoschus, 1979a. 2♀ PT, 2 slides. MONGOLIA: Chovd-gol, host: *Allactaga sibirica*, 11.vi.1975 (M. Stubbe), '167'.
- amazonicus musculus** [*Prolistophorus*] Fain, 1973. 2♀ PT. SURINAME: Lelydorp, host: *Mus musculus brevirostris*, 27.ii.1970 (F. S. Lukoschus), '195'.
- angiodes** [*Laelaps*] Domrow, 1980. 1♀ PT. AUSTRALIA: Port Warrender, host: *Zygomys woodwardi*, 30.x.1976, Kimberley Exp., '3142'.
- apicola** [*Cheletophyes*] Fain, Lukoschus & Nadchatram, 1980. 1♂ 1♀ PT, 2 slides. MALAYSIA: Kuala Pilah, host: *Xylocopa (Platynopoda) latipes*, 9.v.1979 (F. S. Lukoschus) & 30.vi.1980 (Ismail).
- apodemi** [*Crinicansor*, sic!] Fain, Munting & Lukoschus, 1969. 3tn PT. THE NETHERLANDS: Hatert, host: *Apodemus sylvaticus*, 12.ix.1967 (F. S. Lukoschus).
- apodemi** [*Trichoecius*] Fain, Munting & Lukoschus, 1969. 4♀ PT, 4 slides. THE NETHERLANDS: Hatert, host: *Apodemus sylvaticus*, 14.xi.1966 (F. S. Lukoschus).
- asiaticus** [*Alabidopus*] Lukoschus, Scheperboer, Fain & Nadchatram, 1981. PT: 2♂ pn, 1♀, 1tn, 1hy, 4 slides. MALAYSIA: Subang Forest, Selangor, host: *Rattus whiteheadi*, 8 & 10.v.1979 (M. Nadchatram, 'IMR 92 & 110').
- australiana** [*Petaurobia*] Fain & Lukoschus, 1981c. 3♂ 4♀ PT, 7 slides. AUSTRALIA, host: *Petaurus breviceps*, 29.xi.1913 (Vosseler), 'Hamburg T 663'.
- australiensis** [*Labidocarpus*] Fain & Lukoschus, 1981b. 4♀ PT, 4 slides. AUSTRALIA: Geikie Gorge, host: *Hipposideros ater*, 3-7.x.1976, Kimberley Exp., '2892 & 2959'.
- betulinus** [*Gliricoptes*] Kok, Lukoschus & Fain, 1971. PT: n, pn, tn, 3 slides. POLAND: Bialowieza, host: *Sicista betulina*, 10 & 15.ix.1949 (Pucek), '10648 & 10730'.
- brevicepsicola** [*Campylochirus*] Fain & Lukoschus, 1981c. 2♂ 2♀ PT, 4 slides. AUSTRALIA, host: *Petaurus breviceps*, 29.xi.1913 (Vosseler), 'Hamburg T 663' (1 slide) & AUSTRALIA: New South Wales, Wandandian, host: *Petaurus breviceps*, 17.vi.1919 (C. M. Hoy), 'Smiths. 221 327' (3 slides).
- canadensis** [*Lutrilichus*] Fain, Lukoschus, Kok & Clulow, 1974. 1♂ 1♀ PT. CANADA: Hart Township, host: *Mustela erminea*, 9.ix.1970 (Clulow).
- canadensis** [*Orycteroxenus*] Fain, Kok, Lukoschus & Clulow, 1971. 1 PT. CANADA: Hart Township, host: *Mustela erminea*, 9.ix.1970 (Kok).
- carinensis** [*Neotetracopus*] Lukoschus & Gerrits, 1977. PT, 2 slides. Myanmar: Mt. Karin, host: *Talpa leucura*, 1885-89, 'Fea 151, Hamburg 4143'.
- carollia** [*Speleochir*] Fain & Lukoschus, 1971. PT: 1♀ 1?, 2 slides. SURINAME: Lelydorp, host: *Carollia perspicillata*, 15 & 16.xii.1969 (F. S. Lukoschus).
- chalinolobi** [*Alabidocarpus*] Fain & Lukoschus, 1981b. PT: 1♂, 3♀, 1♀ L, 3 slides. AUSTRALIA: Beagle Bay & Beverley Springs, host: *Chalinolobus gouldii*, 23 & 25.viii.1976 & 19.ix.1976, Kimberley Exp., '2610, 2616, 2743'.
- chaparensis** [*Hannemania*] Wohltmann, Köhler & Martin, 2006. PT, 1 slide. BOLIVIA: Carrasco Prov., Dept. Cochabamba, Sehuencas, host: *E. platydactylus* (ZFMK 66980), xii.1994 (J. Köhler).
- clavipilis** [*Cheletophyes*] Fain, Lukoschus & Nadchatram, 1980. 1♀ PT. MALAYSIA: Kuala Pilah, host: *Xylocopa (Platynopoda) latipes*, 30.vi.1980 (Ismail).
- cruzi** [*Domingoecius*] Fain & Lukoschus, 1979 in Fain 1979. 1♀ PT. DOMINICAN REPUBLIC: Guarabo, Santo Domingo, host: *Plagiodontia aedium*, W.L. Abbott, 'Smiths. 239 894'.
- curtus** [*Listrophoroides (Bilistrophoroides)*] Fain & Lukoschus, 1976 in Fain 1976a. 1 PT. MADAGASCAR: "Antsampanduani" (Antsampandrano?), host: *Limnogale mergulus*, xii.1963 (P. Malzy), 'MNHN

- Paris’.
- echinosorex** [*Neotetracopus*] Lukoschus & Gerrits, 1977. PT, 1 slide. INDONESIA: Sumatra: Indragiri, host: *Echinosorex gymnurus*, 11.xi.1916 (Fritsche), ‘SMF 32469’.
- elegans** [*Laelaps*] Domrow, 1980. 2♀ PT, 1 “morphotype”, 3 slides. AUSTRALIA: Mitchell Plateau, host: *Pseudomys nanus*, 21.x.1976, Kimberley Exp., ‘3084, 3051, 3054’.
- eliomys** [*Gliricoptes*] Kok, Lukoschus & Fain, 1971. 1tn PT. TUNISIA: Gafsa/Tunis, host: *Eliomys quercinus*, 1914, ‘Museum Wien’.
- galemys** [*Orycteroxenus*] Lukoschus, Woeltjes, Juckwer & Fain, 1979. PT: 1pn, 1dn, 1L, 3 slides. SPAIN: Villoslada, host: *Galemys pyrenaicus*, 8.vii.1971 (Juckwer).
- granulipes** [*Dasyurochirus*] Fain & Lukoschus, 1981c. 1♂ 1♀ PT, 1 slide. AUSTRALIA: Lake Grace, host: *Sminthopsis granulipes*, 10.iii.1973 (K. Youngson), ‘Perth M 10 205’.
- heteromys** [*Metabidophorus*] Lukoschus, Janssen-Duijghuijsen & Fain, 1977. PT, 4 slides. COLOMBIA: Colon, Agricola Caracolcito, host: *Heteromys* sp., Hershkovitz, ‘Smiths. 282 097’ (3 slides) & PANAMA: Pena, Panama Canal Z., host: *Heteromys desmarestianus*, 8.iii.1961 (Yunker), ‘Smiths. 319 910’ (1 slide).
- huttereri** [*Demodex*] Mertens, Lukoschus & Nutting, 1983. ♀ HT, PT: 1♂ (allotype), 1 egg, 1pn, 1tn, 2L, 7 slides. GERMANY: Bonn, laboratory breed, host: *Apodemus agrarius*, 15.iv.1982, ‘Ar 1-7/1983’.
- imerinensis** [*Listrophoroides* (*Madlistrophoroides*)] Fain & Lukoschus, 1976, in Fain 1976a. 2♂ 2♀ PT, 3 slides. MADAGASCAR: Imerina, host: *Microgale thomasi*, 1899 (Grandidier & Sikora).
- insignis** [*Schizocarpus*] Fain & Lukoschus, 1985. 2♂ 2♀ PT, 4 slides. GERMANY: Diebzig, host: *Castor fiber albicus*, 18.x.1976 (M. Stubbe) (3 slides) & MONGOLIA: Bulgan-gol, host: *Castor fiber birulai*, 14.v.1975 (M. Stubbe) (1 slide).
- insularis** [*Asiolabidophorus*] Lukoschus, Gerrits & Fain, 1977a. PT: 2hy, 1?, 3 slides. TAIWAN: Chuei-feng, host: *Talpa* sp., R.E. Kuntz, ‘Smiths. 333 225’.
- leucurae** [*Asiolabidophorus*] Lukoschus, Gerrits & Fain, 1977a. PT, 12 slides. MYANMAR: Mt. Karin, host: *Talpa leucura*, 1885-89, ‘Fea 151, Hamburg 4143’.
- limnogale** [*Dermacarus*] Fain & Lukoschus, 1976. Current name: *Limnogalobia l.*; PT, 4 slides. MADAGASCAR: Antsirabé, host: *Limnogale mergulus*, 1902 (Calvas).
- liomys** [*Metabidophorus*] Lukoschus, Janssen-Duijghuijsen & Fain, 1977. PT, 2 slides. USA: Texas, Brownsville, host: *Liomys innotatus*, vii.1891 (W. Lloyd), ‘Smiths. 29 861’.
- lobatitarsis** [*Murichirus*] Fain & Lukoschus, 1981d. 1♂ 1♀ PT, 2 slides. AUSTRALIA: Queensland, Atherton Table, host: *Melomys cervinipes*, viii.1921, Smiths. (♂) & AUSTRALIA: Port Warrender, host: *Melomys* sp., 30.x.1976, Kimberley Exp., ‘3140’ (♀).
- lukoschusi** [*Echinonyssus*] Tenorio & Radovsky, 1979. 1♀ PT. THE NETHERLANDS: Nijmegen, host: *Talpa europaea*, 6.iv.1972 (F. S. Lukoschus).
- lukoschusi** [*Eutarsopolipus*] Husband, 1986. PT: 1♂ 2♀, 1♀ L, 4 slides. SOUTH AFRICA: Port Nolloth, host: *Thermophilum decemguttatum* (Carabidae), 14.x.1980 (F. S. Lukoschus), ‘FL 80 1410’.
- lukoschusi** [*Listrophoroides* (*Madlistrophoroides*)] Fain, 1976a. 1♂ 1♀ PT, 2 slides. MADAGASCAR: Vinanitelo, host: *Microgale crassipes* & *M. cowani*, ix.1898 & v.1896 (Grandidier), ‘MNHN Paris 1912-70 & 1897-524b’.
- malayi** [*Olabidocarpus*] Fain, 1970b. 1♀ PT. AUSTRALIA: Geikie Gorge, host: *Eptesicus douglasi*, 30.ix.1976, Kimberley Exp., ‘2846’.
- malaysiensis** [*Alabidopus*] Lukoschus, Scheperboer, Fain & Nadchatram, 1981. PT, 1 slide. MALAYSIA: Bukit Lanjan, Selangor, host: *Rattus rajah*, 26.iv.1979, ‘Med. Ecol. 110551’.
- marmosae** [*Marsupialichus*] de Cock, Fain, Mendez & Lukoschus, 1975. PT, 1 slide. PANAMA: Rodman, host: *Marmosa robinsoni isthmica*, 21.ix.1972 (Guerrero).
- mastacomys** [*Murichirus*] Fain & Lukoschus, 1981d. 1♂ 1♀ PT. AUSTRALIA: White’s River, host: *Mastacomys fuscus*, 11.ii.1958 (D. Wimbosh), ‘WAM M 5285’.
- merriami** [*Orycteroxenus*] Lukoschus, Kniest & Krantz, 1979. PT, 4 slides. USA: Oregon, Steens Mts., Harney Co., host: *Sorex merriami*, 30.vii.1978 (A. Flecker) ‘62 & 65’.
- mexicanus** [*Orycteroxenus*] Lukoschus, Gerrits & Fain, 1977b. 1PT. MEXICO, host: *Blarina mexicana*, M. Diguët, ‘Paris 1911-763’.
- microcebus** [*Alabidopus*] Fain & Lukoschus,

- 1978b. PT, 6 slides. MADAGASCAR, host: *Microcebus pusillus*, 1870 (Grandidier), 'MNHN Paris'.
- microgale** [*Dermacarus*] Fain, 1970a. Current name: *Listrophoroides m.*; PT, 4 slides. MADAGASCAR: Vinametelo (1897-226), Jurerinia (1899), Ikongo (Grandidier, 'Paris MNHN 1912-67') & Forêt d'Ikongo, 26.v.1901 ('Paris MNHN 1912-68').
- micromys** [*Trichoecius*] Fain, Munting & Lukoschus, 1969. 1PT. THE NETHERLANDS: Hatert, host: *Micromys minutus*, 27.x.1966 (F. S. Lukoschus).
- microticolus** [*Quasilistrophorus*] Fain, Whitaker & Lukoschus, 1978. PT: 3♂ 3♀, 3n, 1L, 4 slides. USA: California, Carlotta, host: *Phenacomys longicauda*, 18.ii.1915 (A.H. Howell), 'Smiths. 206 386'.
- minor** [*Asiolabidophorus*] Lukoschus, Gerrits & Fain, 1977a. PT, 2 slides. JAPAN: Sutsuma, host: *Mogera wogura*, Taber, 'Hamburg 152/4144'.
- molossus** [*Neospeleognathopsis (Speleomyotis)*] Fain & Lukoschus, 1971. PT: 1♀, 1L, 2 slides. SURINAM: Paramaribo, host: *Molossus molossus*, 30.xii.1969 & 11.ii.1970, (F. S. Lukoschus), '44 & 427'.
- mongolicus** [*Dermacarus*] Fain & Lukoschus, 1979a. PT, 6 slides. MONGOLIA: Chovd-gol, host: *Dipus sagitta*, 10.vi.1975 (M. Stubbe) (2 slides) & MONGOLIA: Chovd-gol, host: *Allactaga sibirica*, 2 & 11.vi.1975 (M. Stubbe), '72 & 167' (4 slides).
- muris** [*Alabidopus*] Lukoschus, Janssen-Duijghuijsen & Fain, 1979. PT: 2tn, 3hy, 6 slides. AUSTRALIA: Mount Hart, host: *Rattus tunneyi*, 10.ix.1976, Kimberley Exp. (2 slides) & AUSTRALIA: Port Warrender, hosts: *Pseudomys nanus* & *Rattus tunneyi*, 21, 28-30.x.1976, Kimberley Exp. (4 slides: '3051, 3102, 3112, 3137').
- muris** [*Trichoecius*] Fain, Munting & Lukoschus, 1969. PT, 2 slides. THE NETHERLANDS: Nijmegen, host: *Rattus norvegicus*, 22.i.1968 (F. S. Lukoschus).
- muscardinus** [*Gliricoptes*] Kok, Lukoschus & Fain, 1971. PT: 1♀, 1pn. GERMANY: München, host: *Muscardinus avellanarius*, 18.v.1969 & 8.vii.1969 (F. S. Lukoschus & Henze).
- namibius** [*Regenpolipus*] Husband, 1986. 1♀ PT. SOUTH AFRICA: Grootvlei, host: *Thermophilum decemguttatum*, 1.x.1980 (F. S. Lukoschus), 'FL 80/10 174'.
- neacomys** [*Oryzomysia*] Fain & Lukoschus, 1976, in Fain 1976b. 1♂ 2♀ PT, 2 slides. COLOMBIA: Antioquia, host: *Neacomys tenuipes*, 8.iv.1972 (N. E. Peterson), 'Smiths. 499 958'.
- neotropicalis** [*Mediolabidophorus*] Fain & Lukoschus, 1978b. PT, 4 slides. PANAMA: Pena, host: *Heteromys desmerestianus*, 8.iii.1961 (Yunker), 'Smiths. 319 910'.
- nepalensis** [*Soriculopus*] Fain & Lukoschus, 1980. PT: 2 hy, 2 slides. NEPAL: Dhorphatan, host: *Soriculus caudatus*, 9.xii.1975 (Weisser).
- nitedulus** [*Gliricoptes*] Kok, Lukoschus & Fain 1971. PT: 2♂ 1♀, 1tn, 4 slides. POLAND: Bialowieza, host: *Dryomys nitedula*, 2.ix.1958 (Pucek), '20316'.
- notiosorex** [*Orycteroxenus*] Lukoschus, Gerrits & Fain, 1977b. PT, 2 slides. MEXICO: Pruria, host: *Notiosorex crawfordi*, 9.viii.1937 (Wagner), 'SMF 12 167'.
- parameces** [*Laelaps*] Domrow, 1980. 2♀ PT, 2 slides. AUSTRALIA: Port Warrender, host: *Conilurus penicillatus*, 29.x.1976, Kimberley Exp., '3110, 3115'.
- peruviana costaricensis** [*Oryzomysia*] Fain, 1979. 3♂ 4♀ PT, 3 slides. COSTA RICA: Palmar Sur, host: *Nectomys* sp., 8.v.1967.
- petauri** [*Ornithonyssus*] Micherdzinski, 1980. PT: 2♂ 3♀, 3n, 8 slides. AUSTRALIA, host: *Petaurus breviceps*, 29.xi.1913 (Vosseler), 'Hamburg T 663'.
- pteropus** [*Neospeleognathopsis*] Fain & Lukoschus, 1979b. 1♀ PT. AUSTRALIA: Western Australia: Brooking Springs, host: *Pteropus scapulatus*, 7.x.1976, Kimberley-Exped., '2952'.
- pygidialis camerounensis** [*Orycteroxenus*] Fain & Lukoschus, 1974. 1 PT. CAMEROON: Pt. Elisabeth, host: *Crocidura* sp., 15.xii.1898 (H. Brauns), 'Hamburg T142'.
- quasimelomys** [*Murichirus*] Fain & Lukoschus, 1981d. 1♀ PT. AUSTRALIA: Port Warrender, host: *Melomys* sp., 30.x.1976, Kimberley Exp., '3140'.
- quasinudus** [*Scolonoticus*] Fain & Lukoschus, 1981c. 2♂ 2♀ PT, 4 slides. AUSTRALIA, host: *Petaurus breviceps*, 29.xi.1913 (Vosseler), 'Hamburg T 663'.
- rheinwaldi** [*Leptotrombidium (Ericotrombidium)*] Kolebinova, 1979. HT, PT, 31 slides. MOROCCO: Qued Drea, host: *Meriones libycus*, 27.iii.1975 (G. Rheinwald), '273 1975/1', 'ZFMK 79/14' (HT) & Taroudant, 7.iii.1975; reservoir at Massa river, 21.iii.1975; Bou Izekane, 24.iii.1975, host: *Elephantulus rozeti* & E. sp. (G. Rheinwald), '73 1975/2, 5-7, 9-12,

- 14-19, 21-23, 25-38', 'ZFMK 79/15-45'.
- sacopteryx** [*Hipposideroptes*] Fain & Lukoschus, 1971. 1♀ PT. SURINAME: Lelydorp, host: *Sacopteryx bilineata*, 26.ii.1970 (F. S. Lukoschus), '488'.
- sculpturatus** [*Listrophoroides (Marquesania)*] Fain, Nadchatram & Lukoschus, 1981, in Fain 1981. 1♂ PT. MALAYSIA: Kuala Selangor Road 22 mls, host: *Rattus muelleri*, 28.v.1979, 'IMR 169'.
- sibirica** [*Sciuroopsis*] Fain & Lukoschus, 1979a. PT, 3 slides. MONGOLIA: Bulgan-gol & Chovd-gol, host: *Allactaga sibirica*, 28.v.1974, 2 & 11.vi.1975 (M. Stubbe), '72 & 167'.
- sminthopsis leucopus** [*Dasyurochirus*] Fain & Lukoschus, 1981c. 2♀ PT, 1 slide. AUSTRALIA: Western Fort, Victoria, host: *Sminthopsis leucopus*, 5.xii.1974 (P. Wooley).
- soricis nepalensis** [*Orycteroxenus*] Kniest, Lukoschus & Weisser, 1982. PT, 2 slides. NEPAL: Dhar Khola, Dhaulagiri, 3300 m a.s.l., host: *Soriculus caudatus*, 3.xii.1975 (Weisser), '693'.
- squamatus** [*Neodasyurochirus*] Fain, 1972. 1♀ PT? AUSTRALIA: Peak Downs, host: *Phascogale* sp., 'Hamburg T 636'.
- stubbei** [*Afrolistrophorus*] Fain & Lukoschus, 1979a. 1♂ 1♀ PT, 2 slides. MONGOLIA: Chovd-gol & Bulban-gol, host: *Allactaga sibirica*, 2.vi.1974 & 21.v.1975 (M. Stubbe).
- sumatrensis** [*Afrolistrophorus*] Fain, 1980. PT, 4 slides. INDONESIA: Sumatra: Medan, host: *Rhizomys sumatrensis*, v.1971 (Kern) 'SMF 43 687'.
- taiwanensis** [*Lynxacarus (Dubininetta)*] Fain & Lukoschus, 1978a. PT: 1♂, 1♂ n, 2n, 2L, 5 slides. TAIWAN; host: *Talpa insularis*, 6.v.1965 (Jameson), 'Smiths. 358 675'.
- talpae** [*Atopomelus*] Fain, Lukoschus & Cauwenberghe, 1973. PT: 1♂ 3♀, tn, eggs. ITALY: Pescasseroli, host: *Talpa romana*, 20 & 21.x.1972 (F. S. Lukoschus).
- tapoatafa** [*Dasyurochirus*] Fain & Lukoschus, 1981c. PT, 1♀ n. AUSTRALIA: Mahogany Creek, host: *Phascogale tapoatafa*, 12.xii.1974 (A. Frater).
- tylomys** [*Metalabidophorus*] Lukoschus, Janssen-Duijghuijsen & Fain, 1977. PT, 4 slides. COLOMBIA: Antioquia, host: *Tylomys mirae*, 23.ii.1971 (Peterson), 'Smiths. 499 97'.
- uniformis** [*Listrophoroides (Madlistrophoroides)*] Fain & Lukoschus, 1976, in Fain 1976a. 1♂ 1♀ PT, 2 slides. MADAGASCAR: Ikongo (Grandidier) & Vinanitelo, ix.1898 (Grandidier), host: *Microgale longicauda* & *M. crassipes*, 'Paris 1912-67' & 'MNHN 1912-70'.
- yungicola** [*Hannemania*] Wohltmann, Köhler & Martin, 2006. PT, 1 slide. BOLIVIA: Carrasco Prov., Dept. Cochabamba, Sehuencas, host: *E. platydactylus* (ZFMK 67129), xii. 1994 (J. Köhler).
- zyzomys** [*Murichirus*] Fain & Lukoschus, 1981d. 1♂ 1♀ PT, 2 slides. AUSTRALIA: Port Warrender, host: *Zyzomys argurus*, 31.x.1976, Kimberley Exp., '3156'.

Acari, doubtful type status

The following material is marked as type material but the taxa could not be found in the Zoological Record and were probably never published (A. Fain, Bruxelles & A. Bochkov, Michigan, pers. comm. 2003).

- dipus** [*Sciuroopsis*] Fain, Kniest & Lukoschus. "PT", 4 slides. MONGOLIA: Chovd-gol, host: *Dipus sagitta*, 10.vi.1975 (M. Stubbe).
- ellobius** [*Sciuroopsis*] Fain & Lukoschus. "PT", 4 slides. MONGOLIA: Bulgan-gol & Chovd-gol, host: *Ellobius talpinus*, 9.v. & 12.vi.1975 (M. Stubbe).
- meriones** [*Sciuroopsis*] Fain & Lukoschus. "PT", 6 slides. MONGOLIA: Chovd-gol & Coccocharychne-gol, hosts: *Meriones meridionalis* & *M. unguiculatus*, 6.vi.1974, 9 & 11.vi.1975 (M. Stubbe).
- nannosciurus** [*Dermacarus*] Lukoschus, Rothuizen & Fain. "PT", 1 slide. PHILIPPINES: Mindanao, Mt. Katanglad, host: *Nannosciurus surrutilus*, x.1965 (Bregulla), 'SMF 29536'.
- nesoryctes** [*Dermacarus*] Lukoschus, Kroos & Fain. "PT", 1 slide. MADAGASCAR: Forêt d'Ikongo, host: *Nesoryctes tetradactylus*, 26.v.1901.
- oregonensis** [*Orycteroxenus*] Lombert, Lukoschus & Gettinger. "PT": 2♂, 2♀, 1hy, 1L, 1?, 7 slides. USA: Oregon, Corvallis, host: *Sorex vagrans*, 15.i.1974 & 12.vii.1981 (D. Gettinger) (2 slides) & USA: Oregon, Lincoln Co., host: *Sorex vagrans* nest, 18.vi.1981 (D. Gettinger) (5 slides).

ARANEAE

- abadae** [*Aetana*: Pholcidae] Huber, 2015 (in Huber et al. 2015b). ♂ HT (Ar 13986). PHILIPPINES: Negros Isl., Negros Oriental Prov., Twin Lakes N.P. (9.365–9.368°N, 123.181–123.182°E), 850–950 m a.s.l., forest above Balianasayao Crater Lake, 9.iii.2014 (B.A. Huber).
- abdita** [*Carapoia*: Pholcidae] Huber 2016b. 1♂ 1♀ PT, ZFMK Ar 15891. BRAZIL: Pernambuco, Joaquim Nabuco, near Bonito, near hilltop (8°30.7'S, 35°34.3'W), 750–800 m a.s.l., 24–25.v.2015 (B.A. Huber, L.S. Carvalho).
- acrensis** [*Mesabolivar*: Pholcidae] Huber, 2018. 2♂ 23♀ PT (Ar 18942–43). BRAZIL: Acre, Rio Branco, Reserva Florestal Humaitá (9.749°S, 67.666°W), 180 m a.s.l., 28.x.2016 (B.A. Huber, L.S. Carvalho).
- agilis** [*Carapoia*: Pholcidae] Huber, 2018. 3♂ 10♀ PT (Ar 19295). BRAZIL: Pernambuco, near Bonito, forest near Cachoeira da Gruta (8.547°S, 35.712°W), 380 m a.s.l., 24–25.v.2015 (B.A. Huber, L.S. Carvalho).
- akwamu** [*Spermophora*: Pholcidae] Huber & Kwapong 2013. ♂ HT (Ar 10522). GHANA: Central Region, Kakum National Park (5°20.9'N, 1°23.0'W), 160 m a.s.l., forest near entrance, day collecting, 19.ii.2013 (B.A. Huber).
- alagoas** [*Carapoia*: Pholcidae] Huber 2016b. 6♂16♀ PT, ZFMK Ar 15885–86. BRAZIL: Alagoas, São José da Laje, Usina Serra Grande, forest above sugarcane plantations (8°58.3'S, 36°05.7'W), 450–550 m a.s.l., 22–23.v.2015 (B.A. Huber, L.S. Carvalho).
- ale** [*Tupigea*: Pholcidae] Huber & Rheims, 2011. 2♂ 1♀ PT. BRAZIL: Rio de Janeiro, Reserva Ecológica Rio das Pedras (22°59.5'S, 44°06.0'–06.8'W), 50–200 m a.s.l., day collecting, 26.ix.2009 (B.A. Huber).
- amadoi** [*Mesabolivar*: Pholcidae] Huber, 2018. 14♂ 10♀ PT (Ar 19147–48). BRAZIL: Bahia, Reserva Particular do Patrimônio Natural Serra Bonita (15°23.3'–23.4'S, 39°33.7'–34.0'W), ~750–850 m a.s.l., 2–3.x.2011 (B.A. Huber, A. Pérez-González, M. Alves Dias).
- amanaye** [*Mesabolivar*: Pholcidae] Huber, 2018. 4♂ 3♀ PT (Ar 19169–70). BRAZIL: Pará, Marabá, forest near road, 'site 2' (5.360°S, 49.058°W), 120 m a.s.l., 10–11.x.2016 (B.A. Huber, L.S. Carvalho).
- amapa** [*Chibchea*: Pholcidae] Huber & Carvalho, 2019. 3♂ 5♀ 4 juvs PT (Ar 20626). BRAZIL: Amapá, Santana, forest SW Macapá, 'site 4', near road AP-010 (0.057°S, 51.234°W), 25 m a.s.l., 13.x.2016 (B.A. Huber, L.S. Carvalho).
- amazonicus** [*Mesabolivar*: Pholcidae] Huber, 2018. 2♂ 2♀ PT (Ar 18952). BRAZIL: Amazonas, forest near Humaitá, 'site 1' (7.464°S, 63.231°W), 65 m a.s.l., 20.x.2016 (B.A. Huber, L.S. Carvalho).
- anai** [*Calapnita*: Pholcidae] Huber, 2017: ♂ HT (Ar 16016). INDONESIA: West Sumatra, Lembah Anai Forest Reserve, forest along stream (0.472°S, 100.363°E), 600 m a.s.l., 19.x.2009 (S. Sutono).
- angelim** [*Tupigea*: Pholcidae] Huber & Rheims, 2011. 2♂ 3♀ PT. BRAZIL: São Paulo, Ubatuba, Fazenda Angelim (23°23.6'S, 45°03.8'W), ~50 m a.s.l., 16–18.xii.2003 (B.A. Huber).
- angelus** [*Oedothorax*: Linyphiidae] Tanasevitch, 1998b. 2♂ PT. NEPAL: Panchthar Distr., Panipoura, 2300 m, mixed broadleaved forest, 16–20.iv.1988 (J. Martens, W. Schawaller).
- angulatus** [*Modisimus*: Pholcidae] Huber & Fischer, 2010 in Huber et al. 2010. ♂ HT. DOMINICAN REPUBLIC: San Cristóbal Prov., near La Toma (18°27.5'N, 70°07.2'W), degraded forest, 70 m a.s.l., near ground, 7.xi.2005 (B.A. Huber).
- ankasa** [*Smeringopina*: Pholcidae] Huber 2013. ♂ HT (Ar 10229). GHANA: Western Region, Ankasa National Park (5°13.0'N, 2°39.1'W), 180 m a.s.l., forest near entrance, day collecting, 22.ii.2013 (B.A. Huber).
- arfak** [*Arnapa*: Pholcidae] Huber in Huber & Carvalho, 2019. ♂ HT (Ar 20604). INDONESIA: West Papua, Arfak Mountains, forest above Mokwam (1.112°S, 133.911°E), 1600 m a.s.l., near ground, 5–6.xi.2009 (S. Sutono).
- atewa** [*Anansus*: Pholcidae] Huber & Kwapong 2013. ♂ HT (Ar 10513). GHANA: Eastern Region, Atewa Hills, Atewa Atwirebu Reserve (6°13.8'N, 0°33.5'W), 740 m a.s.l., 25.ii.2013 (B.A. Huber).
- attuleh** [*Pholcus*: Pholcidae] Huber, 2011. ♂ HT. CAMEROON: Southwest Region, near Dschang, Attuleh "site 2" (5°27.9'N, 9°56.5'E), 1800 m a.s.l., underside of

- leaves, 20.iv.2009 (B.A. & J.C. Huber).
- attuleh** [*Smeringopina*: Pholcidae] Huber 2013. ♂ HT (Ar 10216). CAMEROON: Southwest Region, near Dschang, Attuleh, "site 1" (5°27.7'N, 9°56.5'E), 1880 m a.s.l., near ground, 20.iv.2009 (B.A. Huber).
- aureotibialis** [*Ornithoctonus*: Theraphosidae] Wirth & Striffler, 2005. 1♀ PT (Ar001). THAILAND: Bangkok, no date (P. Schmidt). 1♂ PT (Ar002). Southern Thailand, xii.2000 (M. Bullmer).
- awalai** [*Spermophora*: Pholcidae] Huber, 2014 in Huber et al. 2014. ♂ HT (Ar 11953). CAMEROON: Southwest Region, near Dschang, Attuleh, 'site 2' (5°27.9'N, 9°56.5'E), 1800 m a.s.l., underside of leaves, 20.iv.2009 (B.A. & J.C. Huber).
- bachata** [*Modisimus*: Pholcidae] Huber & Fischer, 2010 in Huber et al. 2010. ♂ HT. DOMINICAN REPUBLIC: La Vega Prov., near La Ciénaga, (~19°03'N, 70°53'W), ~1100 m a.s.l., path along river, under dry rolled-up leaves on ground, 9.xi.2005 (B.A. Huber).
- badulla** [*Belisana*: Pholcidae] Huber, 2019. ♂ HT (Ar 20001). SRI LANKA: Central Province, Badulla District, Ohiya (6.842°N, 80.885°E), 1280 m a.s.l., 16.x.2011 (S.P. Benjamin).
- baganihan** [*Aetana*: Pholcidae] Huber, 2015 (in Huber et al. 2015b). ♂ HT (Ar 13932). PHILIPPINES: Mindanao, Davao del Sur Prov., Marilog Distr., Baganihan (7.469°N, 125.250°E), 1210 m a.s.l., primary forest near road, among low vegetation, 15.ii.2014 (B.A. Huber).
- baguio** [*Pholcus*: Pholcidae] Huber, 2016, in Huber et al. 2016. ♂ HT (Ar 15506). PHILIPPINES: Luzon, Benguet Prov., near Baguio, Mt. Kabuyao, N slope (16.374°N, 120.557°E), 1200–1400 m a.s.l., among rocks, 2.iii.2014 (B.A. Huber).
- bahla** [*Artema*: Pholcidae] Huber in Huber & Carvalho, 2019. ♂ HT (Ar 20587). OMAN: Ad Dakhiliya, W of Bahla (22.934°N, 57.084°E), 550 m a.s.l., under rocks in desert, 24.iii.2017 (B.A. Huber).
- baiana** [*Mesabolivar*: Pholcidae] Huber, 2018. 11♂ 11♀ PT (Ar 19031). BRAZIL: Bahia, Reserva Biológica de Una, 'site 2' (15°10.6'S, 39°03.5'W), ~50–100 m a.s.l., 4.x.2011 (B.A. Huber, A. Pérez-González, M. Alves Dias).
- baka** [*Pholcus*: Pholcidae] Huber, 2011. ♂ HT. CAMEROON: South Region, between Kribi and Campo, "site 1" (2°42.2'N, 9°51.8'E), 10 m a.s.l., underside of leaves, 10.iv.2009 (B.A. Huber).
- bamboutos** [*Pholcus*: Pholcidae] Huber, 2011. ♂ HT. CAMEROON: West Region, near Mbouda, Bamboutos (5°37.3'N, 10°06.7'E), 2100 m a.s.l., among rocks, 19.iv.2009 (B.A. Huber).
- bamenda** [*Smeringopina*: Pholcidae] Huber 2013. ♂ HT (Ar 10251). CAMEROON: Northwest Region, near Bamenda, under log at roadside (6°00.5'N, 10°18.1'E), 1750 m a.s.l., 16.iv.2009 (B.A. Huber).
- banahaw** [*Aetana*: Pholcidae] Huber, 2015 (in Huber et al. 2015b). ♂ HT (Ar 13999). PHILIPPINES: Luzon Isl., Laguna Prov., Mt. Banahaw, forest near Taytay Falls (14.110°N, 121.507°E), 560 m a.s.l., near ground, 26.ii.2014 (B.A. Huber).
- bankirai** [*Calapnita*: Pholcidae] Huber, 2017. ♂ HT (Ar 15994). INDONESIA: East Kalimantan, Bukit Bankirai (1.029°S, 116.867°E), 100 m a.s.l., on green leaves in forest, 29.x.2009 (S. Sutono).
- baoruco** [*Leptopholcus*: Pholcidae] Huber, 2006 in Huber & Wunderlich 2006. ♂ HT. DOMINICAN REPUBLIC: Barahona Prov., Sierra de Baoruco, near Polo, 17.xi.2005 (B.A. Huber).
- barauna** [*Pinocchio*: Pholcidae] Huber & Carvalho, 2019. 6♀ PT (Ar 20622). BRAZIL: Rio Grande do Norte, near Baraúna, Parque Nacional de Fuma Feia, Caverna Porco do Mato II (5°02.80'S, 37°32.39'W), 160 m a.s.l., 7.vi.2015 (B.A. Huber, L.S. Carvalho).
- bariengi** [*Calapnita*: Pholcidae] Huber, 2017. ♂ HT (Ar 16023). MALAYSIA: Sarawak, Niah Cave National Park, forest near headquarters (3.820°N, 113.763°E), 40 m a.s.l., night collecting, undersides of leaves, 28.vii.2014 (B.A. Huber, S.B. Huber).
- bario** [*Calapnita*: Pholcidae] Huber, 2017. ♂ HT (Ar 16021). MALAYSIA: Sarawak, Bario, forest along river N of town (3.765–3.771°N, 115.444–115.448°E), 1170–1250 m a.s.l., 29.vii.2014 (B.A. Huber, S.B. Huber).
- bario** [*Pholcus*: Pholcidae] Huber, 2016 (in Huber et al. 2016b). ♂ HT. MALAYSIA-BORNEO: Sarawak, Bario, forest along river W of town (3.736°N, 115.437–115.443°E), 1150–1250 m a.s.l., on underside of leaf, 30.vii.2014 (B.A. Huber, S.B. Huber).
- barisan** [*Pholcus*: Pholcidae] Huber, 2016 (in Huber et al. 2016b). ♂ HT. INDONESIA: Sumatra, Lampung, Bukit Barisan (5.528°S, 104.424°E), 550–600 m a.s.l., forest near road, leaf litter, 24.x.2005 (S.

- Sutono).
- batwa** [*Buitinga*: Pholcidae] Huber & Warui, 2012. ♂ HT (Ar 8743), 3♂ 4♀ PT (Ar 8744). UGANDA: Kisoro District, Mgahinga Gorilla N.P., gorge (1°22.9'S, 29°35.8-36.0'E), 2900-3000 m a.s.l., 25.xi.2010 (B.A. Huber).
- bayahibe** [*Tainonia*: Pholcidae] Huber & Astrin, 2009. ♂ HT (Ar 1488). DOMINICAN REPUBLIC: La Altagracia Prov., near Bayahibe (18°33.0'N, 68°49.9'W), 30 m a.s.l., arid forest along road, in small cavity, 23.xi.2005 (B.A. Huber).
- bayaka** [*Smeringopina*: Pholcidae] Huber 2013. ♂ HT (Ar 10305). GABON: Moyon-Ogooué, near Ndjolé, "site 2" (0°05.9'S, 10°52.4'E), 140 m a.s.l., forest near brook, 11.viii.2011 (B.A. & S.R. Huber).
- belinga** [*Smeringopina*: Pholcidae] Huber 2013. ♂ HT (Ar 10295). GABON: Ogooué-Ivindo, Monts de Belinga (0°58.7'N, 13°11.5'E), 860 m a.s.l., at large rocks in forest, 13.viii.2011 (B.A. & S.R. Huber).
- berac** [*Modisimus*: Pholcidae] Huber, 2010 in Huber et al. 2010. ♂ HT. HAITI: Dept. Sud-Est, broadleaf forest patch ('Berac', 18°19.7'N, 72°17.7'W), La Visite N. P., 1580 m a.s.l., domed sheet connected to underside of green fern leaves, 27.xi.2007 (B.A. Huber).
- bico** [*Mesabolivar*: Pholcidae] Huber, 2018. 3♂ 4♀ PT (Ar 19065). BRAZIL: Bahia, Parque Nacional do Pau Brasil, 'site 2' (outside park limits) (16°25.7'S, 39°21.1'W), ~60 m a.s.l., 1.x.2011 (B.A. Huber, A. Pérez-González, M. Alves Dias).
- bicuspis** [*Mesabolivar*: Pholcidae] Huber, 2018. 4♂ 8♀ PT (Ar 19194). BRAZIL: Paraná, Saint-Hilaire/Lange National Park, forest along river above Fazenda Niteroi (25.657°S, 48.601°W), ~100 m a.s.l., 11.x.2014 (B.A. Huber, L.S. Carvalho).
- bidayuh** [*Calapnita*: Pholcidae] Huber, 2017. ♂ HT (Ar 15991). MALAYSIA: Sarawak, near Kapit, forest along river (1.937–1.944°N, 112.904–112.910°E), 80–120 m a.s.l., undersides of leaf, 20.vii.2014 (B.A. Huber, S.B. Huber).
- bilene** [*Pehrforsskalia*: Pholcidae] Huber, 2011. ♂ HT. MOZAMBIQUE: Bilene (25°15.6'S, 33°17.7'E), Praia do Bilene, 30 m a.s.l., leaf litter, coastal forest, 20.xii.2007 (C. Haddad, R. Lyle, R. Fourie).
- bispina** [*Carapoia*: Pholcidae] Huber, 2018. 2♂ 5♀ PT (Ar 19300). BRAZIL: Pernambuco, near Bonito, forest near Cachoeira da Gruta (8.547°S, 35.712°W), 380 m a.s.l., 24–25.v.2015 (B.A. Huber, L.S. Carvalho).
- bohol** [*Calapnita*: Pholcidae] Huber, 2017. ♂ HT (Ar 16046). PHILIPPINES: Bohol Island, near Loboc, at Loboc River (9.651°N, 124.022°E), on leaf, 20 m a.s.l., 4.iii.2014 (B.A. Huber).
- bomfobiri** [*Smeringopina*: Pholcidae] Huber 2013. ♂ HT (Ar 10236). GHANA: Ashanti Region, Bomfobiri Wildlife Sanctuary (6°57.7'N, 1°11.4'W), 240 m a.s.l., among rocks in canyon, 3.iii.2013 (B.A. Huber).
- bonita** [*Mesabolivar*: Pholcidae] Huber, 2015. 4♂ 7♀ PT (Ar12622-23). BRAZIL: Bahia, Reserva Particular do Patrimônio Nacional Serra Bonita (15°23.3'–23.4'S, 39°33.7'–34.0'W), ~750-850 m a.s.l., 2–3.x.2011 (B.A. Huber, A. Pérez-G., M. Alves Dias).
- bromelicolus** [*Psilochorus*: Pholcidae] Huber in Huber & Carvalho r, 2019. 3♂ 7♀ PT (Ar 20647). BRAZIL: Bahia, Camacan, Reserva Particular do Patrimônio Nacional Serra Bonita (15°23.3'–23.4'S, 39°33.7'–34.0'W), ~750–850 m a.s.l., 2–3.x.2011 (B.A. Huber, A. Pérez González, M. Alves Dias).
- buatong** [*Pholcus*: Pholcidae] Huber, 2016 (in Huber et al. 2016a). ♂ HT (Ar 15044). THAILAND: Krabi, near Khao Phanom Bencha National Park, Tham Khao Phueng (8°14.16'N, 98°54.26'E), 45 m a.s.l., on walls in cave, 8.iii.2015 (B.A. Huber, B. Petcharad).
- budongo** [*Leptopholcus*: Pholcidae] Huber, 2011. ♂ HT. UGANDA: Masindi Distr., Budongo Forest near Sonso (1°45'N, 31°35'E), 1-10.vii.1995 (T. Wagner).
- budongo** [*Mystaria*: Thomisidae] Lewis & Dippenaar-Schoeman, 2014. ♂ HT (Ar 1307). RWANDA: Kibungo Province, Ibanda Makera, Rusumo [02°09'S, 30°55'E], alt. 1450 m, gallery forest canopy fogging of *Teclea nobilis*, x.1993 (T. Wagner). 14♂ PT (Ar 1304-06, 1308-19). RWANDA, KENYA, UGANDA, various localities.
- bujongolo** [*Smeringopus*: Pholcidae] Huber, 2012. ♂ HT (Ar 8483). UGANDA: Kasese District, Ruwenzori Mts., between Nyabitaba Hut and Guy Yeoman Hut (~0°20.6–21.5'N, 29°55.6–58.7'E), 2660–3450 m a.s.l., 2.xii.2010 (B.A. Huber).
- bukidnon** [*Panjange*: Pholcidae] Huber, 2015 (in Huber & Nuñez 2015). ♂ HT (Ar

- 13023). PHILIPPINES: Mindanao, Bukidnon Prov., Santo Domingo (7.782°N, 125.397°E), 560 m a.s.l., forest remnant along brook, on leaf, 8–9.ii.2014 (B.A. Huber, E. Mondejar).
- bukittimah** [*Pholcus*: Pholcidae] Huber, 2016 (in Huber et al. 2016b). ♂ HT (Ar 15706). SINGAPORE: Bukit Timah, Dairy Farm Nature Park (1.360°N, 103.778°E), 50 m a.s.l., leaf litter near Wallace Trail, 15.ii.2015 (B.A. Huber, J. Koh).
- bukusu** [*Spermophora*: Pholcidae] Huber & Warui, 2012. ♂ HT (Ar 8751), 3♂ 3♀ PT (Ar 8752). KENYA: Rift Valley, Mt. Elgon N.P., along Kimothon River (1°04.6'N, 34°43.5'E), 2510 m a.s.l., 31.i.2010 (B.A. Huber).
- bunkpurugu** [*Artema*: Pholcidae] Huber & Kwapong 2013. ♂ HT (Ar 10515). GHANA: Northern Region, Bunkpurugu (10°31.1'N, 0°05.5'E), 230 m a.s.l., in building, 7.iii.2013 (B.A. Huber).
- buraquinho** [*Mesabolivar*: Pholcidae] Huber, 2018. 11♂ 13♀ PT (Ar 19041–42). BRAZIL: Paraíba, Jardim Botânico Benjamin Maranhão, "Mata do Buraquinho" (7°08.31'S, 34°51.46'W), 30 m a.s.l., 2.vi.2015 (B.A. Huber, L.S. Carvalho).
- bwindi** [*Smeringopus*: Pholcidae] Huber, 2012. ♂ HT (Ar 8490). UGANDA: Kanungu District, Bwindi Impenetrable National Park, waterfall trail near Buhoma (0°59.8'–1°00.2'S, 29°36.9–37.2'E), ~1500–1600 m a.s.l., 22.xi.2010 (B.A. Huber).
- bwiti** [*Smeringopina*: Pholcidae] Huber 2013. ♂ HT (Ar 10279). GABON: Ngounié, near Mouladoufouala (1°38.1'S, 10°42.5'E), 110 m a.s.l., forest along road, 27.viii.2011 (B.A. & S.R. Huber).
- caipora** [*Mesabolivar*: Pholcidae] Huber, 2015. 1♂ PT (Ar 12619). BRAZIL: Bahia, Mata de São João (12°28.1'–12°28.3'S, 38°13.5'–38°14.7'W), ~110 m a.s.l., 8.x.2011 (B.A. Huber, A. Pérez-G., M. Alves Dias).
- camacan** [*Mesabolivar*: Pholcidae] Huber, 2018. 1♀ PT (Ar 19040). BRAZIL: Bahia, Município de Camacan, Reserva Particular do Patrimônio Natural Serra Bonita (15°23.3'–23.4'S, 39°33.7'–34.0'W), ~750–850 m a.s.l., 2–3.x.2011 (B.A. Huber, A. Pérez-González, M. Alves Dias).
- camiguin** [*Panjange*: Pholcidae] Huber, 2015 (in Huber & Nuñez 2015). ♂ HT (Ar 13002). PHILIPPINES: Camiguin Isl., Katibawasan Falls (9.215°N, 124.720°E), 300 m a.s.l., on leaves, 19.ii.2014 (B.A. Huber, P.N. Banaag).
- capixaba** [*Carapoia*: Pholcidae] Huber 2016b. 6♂ 7♀ PT, ZFMK Ar 15836–37. BRAZIL: Espírito Santo, Reserva Biológica de Sooretama, 'site 1' (19°03.3'S, 40°08.8'W), ~90 m a.s.l., 27.ix.2011 (B.A. Huber, A. Pérez González).
- caquetio** [*Chisosa*: Pholcidae] Huber in Huber & Carvalho, 2019. ♂ HT (Ar 20618). NETHERLANDS ANTILLES: Curaçao, Jan Kok Lodges (12.217°N, 69.051°W), Winkler extraction, sieved litter from garden, 12–13.ix.2011 (R. Jocqué, E. Tybaert).
- carlmulleri** [*Brignolia*: Oonopidae] Ranasinghe & Benjamin, 2016a. ♂ HT, ZFMK Ar 18003, IFS_Oon_294. SRI LANKA: Central Province, Kandy District, Knuckles Range, Riverston, site 02 (7°31'25"N, 80°44'20"E), 1240 m, 25.ii.2015 (N. Athukorala).
- carvalhoi** [*Carapoia*: Pholcidae] Huber 2016b. 1♂ 1♀ PT, ZFMK Ar 15877. BRAZIL: Bahia, Elísio Medrado, near Santa Teresinha, Serra da Jibóia, near hilltop (12°51.33'S, 39°28.59'W), 800 m a.s.l., 13.v.2015 (B.A. Huber, L.S. Carvalho).
- carybei** [*Carapoia*: Pholcidae] Huber 2016b. 3♂ 4♀ PT, ZFMK Ar 15879–80. BRAZIL: Bahia, Mata de São João, 'site 2' (12°28.1'S, 38°13.5'W), ~110 m a.s.l., 8.x.2011 (B.A. Huber, A. Pérez González, M.A. Dias).
- casaroro** [*Panjange*: Pholcidae] Huber, 2015 (in Huber & Nuñez 2015). ♂ HT (Ar 13000). PHILIPPINES: Negros Isl., Negros Oriental Prov., Casaroro Falls (9.281°N, 123.208°E), 550 m a.s.l., forest along river below waterfall, on leaves, 10.iii.2014 (B.A. Huber).
- catarinensis** [*Mesabolivar*: Pholcidae] Huber, 2018. 3♂ 2♀ PT (Ar 19189). BRAZIL: Santa Catarina, São Joaquim National Park (28.034°S, 49.611°W), fern forest along small stream, ~1100–1200 m a.s.l., 18.x.2014 (B.A. Huber, L.S. Carvalho).
- catuaba** [*Saciperere*: Pholcidae] Huber & Carvalho, 2019. 4♂ 19♀ PT (Ar 20633–34). BRAZIL: Acre, Senador Guiomard, Fazenda Experimental Catuaba (10.08°S, 67.625°W), 225 m a.s.l., 26–27.x.2016 (B.A. Huber, L.S. Carvalho); 4♂ 16♀ PT (Ar 20635). Same locality at 10.078°S, 67.619°W, 200 m a.s.l., 29.x.2016 (B.A. Huber, L.S. Carvalho).
- chailu** [*Smeringopina*: Pholcidae] Huber 2013. ♂ HT (Ar 10308). GABON: Ngounié, Massif du Chaillu, "site 4",

- between Yéno and Mouila (1°43.7'S, 11°18.4'E), 650 m a.s.l., forest along river, 26.viii.2011 (B.A. & S.R. Huber).
- chapeco** [*Mesabolivar*: Pholcidae] Huber, 2018. 4♂ 7♀ PT (Ar 19175). BRAZIL: Santa Catarina, Chapecó National Forest (27.103°S, 52.779°W), 620 m a.s.l., 27.x.2014 (B.A. Huber, L.S. Carvalho).
- chengpoi** [*Pholcus*: Pholcidae] Huber & Dimitrov, 2014. ♂ HT (Ar 11963). TAIWAN: Pingtung County, near Chouqia (22.2409°N, 120.8552°E), 440 m a.s.l., at brook, underside of large leaves, 22.vi.2013 (B.A. Huber).
- chibububo** [*Smeringopus*: Pholcidae] Huber, 2012. ♂ HT (Ar 8492). Mozambique, Inhambane Province, Vilankulos, Casa Chibububo (22°01.2'S, 35°19.2'E), leaf litter, coastal bush, 3 m a.s.l., 12.xii.2007 (C. Haddad, R. Lyle, R. Fourie).
- chogoria** [*Smeringopus*: Pholcidae] Huber, 2012. ♂ HT (Ar 8495). KENYA: Eastern Province, Mt. Kenya N.P., Chogoria Forest, 'site 1' (0°12.1'S, 37°29.4'E), 2460 m a.s.l., 27.i.2010 (B.A. Huber).
- ciénaga** [*Modisimus*: Pholcidae] Huber & Fischer, 2010 in Huber et al. 2010. ♂ HT. DOMINICAN REPUBLIC: La Vega Province, near La Ciénaga (19°03'N, 70°53'W, ~1000 m a.s.l.), forest along river, among dry leaves of dead epiphyte on ground, 9.xi.2005 (B.A. Huber).
- ciénaga** [*Tainonia*: Pholcidae] Huber & Astrin, 2009. ♂ HT (Ar 1473). DOMINICAN REPUBLIC: La Vega Province, near La Ciénaga (19°03'N, 70°53'W, ~1100 m a.s.l.), at rocks, 9.xi.2005 (B.A. Huber).
- claricae** [*Mesabolivar*: Pholcidae] Huber, 2018. 6♂ 19♀ PT (Ar 19082–83). BRAZIL: Rio de Janeiro, Santa Maria Madalena, forest fragment (21°58.9'–59.1'S, 41°57.2'–57.6'W), 480–590 m a.s.l., 30.ix.–1.x.2010 (B.A. Huber, A. Pérez-González).
- comatus** [*Gorbothorax*: Linyphiidae] Tanasevitch, 1998a. 1♂ PT. NEPAL: Panchthar Distr., Panipoura, 2300 m, mixed broadleaved forest, 16–20.iv.1988 (J. Martens, W. Schawaller).
- conicus** [*Gorbothorax*: Linyphiidae] Tanasevitch, 1998a. 1♂ PT. NEPAL: Taplejung Distr., Omje Kharka NW Yamputhin, mature mixed broadleaved forest, 2300–2500 m, 1–6.v.1988 (J. Martens, W. Schawaller).
- constrictus** [*Mesabolivar*: Pholcidae] Huber, 2018. 3♂ 4♀ PT (Ar 19208). BRAZIL: Santa Catarina, Três Barras National Forest (26.242°S, 50.301°W), 800 m a.s.l., 14.x.2014 (B.A. Huber, L.S. Carvalho).
- coronatus** [*Oedothorax*: Linyphiidae] Tanasevitch 1998b. 2♂ PT. NEPAL: Ilam Distr., Mai Pokhari, 2100 m, forest, 31.iii.–1.iv.1980 (J. Martens, A. Ausobsky).
- crasto** [*Carapoia*: Pholcidae] Huber, 2005. 1♂ 2♀ PT. BRAZIL: Sergipe, Santa Luzia do Itanhhy, 9–13.ix.1999 (A. D. Brescovit et al.).
- cuadro** [*Modisimus*: Pholcidae] Huber & Fischer, 2010 in Huber et al. 2010. ♂ HT. DOMINICAN REPUBLIC: San Cristóbal Prov., near La Toma (18°27.5'N, 70°07.2'W), degraded forest at 70 m a.s.l., near ground, 7.xi.2005 (B.A. Huber).
- cuarassu** [*Mesabolivar*: Pholcidae] Huber, Brescovit & Rheims, 2005. 1♂ 1♀ PT. BRAZIL: São Paulo, Itanhaém, Ilha da Queimada Grande, 28.iv.–1.v.2003 (equipe Biota).
- dade** [*Pholcus*: Pholcidae] Huber, 2011. ♂ HT. USA: Georgia, Dade Co., Sitton's Cave (34°51'N, 85°28'W), 7.viii.1998 (W. Reeves).
- dandarae** [*Carapoia*: Pholcidae] Huber 2016b. 18♂ 13♀ PT, ZFMK Ar 15851–53. BRAZIL: Bahia, Reserva Particular do Patrimônio Nacional Serra Bonita (15°23.3'–23.4'S, 39°33.7'–34.0'W), ~750–850 m a.s.l., 2–3.x.2011 (B.A. Huber, A. Pérez González, M.A. Dias).
- dhofar** [*Artema*: Pholcidae] Huber in Huber & Carvalho, 2019. ♂ HT (Ar 20596). OMAN: Dhofar, Wadi Nahiz, Suhur Cave (17.1420°N, 54.1214°E), 145 m a.s.l., 21.ii.2018 (B.A. Huber).
- dieke** [*Spermophora*: Pholcidae] Huber, 2009. ♂ HT. GUINEA: Guinée Forestière, Forêt Classée de Diéké (7°32.0'N, 8°49.9'W), 430 m a.s.l., 1.xii.2008 (B.A. Huber).
- dinagat** [*Calapnita*: Pholcidae] Huber, 2017. ♂ HT (Ar 16052). PHILIPPINES: Dinagat Island, near Libjo, Paragua Forest, 'site 1' (10.222°N, 125.553°E), 130 m a.s.l., forest at brook, on leaf, 20.ii.2014 (B.A. Huber, P.N. Banaag).
- dinagat** [*Panjange*: Pholcidae] Huber, 2015 (in Huber & Nuñez 2015). ♂ HT (Ar 13015). PHILIPPINES: Dinagat Isl., near Libjo, Paragua Forest, 'site 1' (10.222°N, 125.553°E), 130 m a.s.l., forest at brook, on leaves, 20.ii.2014 (B.A. Huber, P.N. Banaag).
- divisa** [*Carapoia*: Pholcidae] Huber 2016b. 3♂ 5♀ PT, ZFMK Ar 15831–32. BRAZIL: Rio de Janeiro, Santa Maria Madalena, forest fragment (21°58.9'–59.1'S, 41°57.2'–

- 57.6'W), 480–590 m a.s.l., 30.ix.–1.x.2010 (B.A. Huber, A. Pérez González).
- djavani** [*Carapoia*: Pholcidae] Huber, 2018. 4♂ 11♀ PT (Ar 19292). BRAZIL: Alagoas, Reserva Biológica de Pedra Talhada (9°14.5'–14.0'S, 36°26.5'–27.2'W), 650–700 m a.s.l., 20–21.v.2015 (B.A. Huber, L.S. Carvalho).
- djidji** [*Smeringopina*: Pholcidae] Huber 2013. ♂ HT (Ar 10262). GABON: Ogooué-Ivindo, near Djidji (0°12.8'N, 11°49.3'E), 470 m a.s.l., forest, 12.viii.2011 (B.A. & S.R. Huber).
- domingo** [*Pholcus*: Pholcidae] Huber, 2016 (in Huber et al. 2016b). ♂ HT. PHILIPPINES: Mindanao, Bukidnon Prov., Santo Domingo (7.782°N, 125.397°E), 560 m a.s.l., forest remnant along brook, on leaf, 8–9.ii.2014 (B.A. Huber, E. Mondejar).
- donensis** [*Pholcus*: Pholcidae] Ponomarev, 2005. 3♂ 3♀ PT. RUSSIA: Rostov Region, Ust-Donetsk Distr., Rasdorskaya Station [Razdorskaya: 47°32'N, 40°39'E], Semenikha Village, Beiratschnj forest, 14.vi.2001 (A. Ponomarev) (2♂, 2♀); Rasdorskaya Station, Majak Vill., grassland and steppe, hill, 3.v.2002 (A. Ponomarev) (1♂); Rasdorskaya Station, wet grassland near bank of Don river, 1.ix.2002 (A. Ponomarev) (1♀).
- doucki** [*Pholcus*: Pholcidae] Huber, 2011. ♂ HT. GUINEA: Kindia Region, near Doucki, canyon (10°59.6'N, 12°35.3'W), 1020 m a.s.l., 24.xi.2008 (B.A. Huber).
- dschang** [*Leptopholcus*: Pholcidae] Huber, 2011. ♂ HT. CAMEROON: Southwest Region, near Dschang, Attuleh “site 2” (5°27.9'N, 9°56.5'E), 1800 m a.s.l., underside of leaf, 20.iv.2009 (B.A. & J.C. Huber).
- ebolowa** [*Smeringopina*: Pholcidae] Huber 2013. ♂ HT (Ar 10282). CAMEROON: South Region, near Ebolowa (2°54.9'N, 11°08.3'E), 620 m a.s.l., near ground, 11–12.iv.2009 (B.A. Huber).
- elsaff** [*Nita*: Pholcidae] Huber & El Hennawy, 2007. ♂ HT (Ar 005). EGYPT: Giza, El Saff, 1.iii.2003 (M. Mohafez),.
- enriquillo** [*Modisimus*: Pholcidae] Huber & Fischer, 2010 in Huber et al. 2010. ♂ HT. DOMINICAN REPUBLIC: Barahona Prov., NW of Paraiso at ~18°02.4'N, 71°11.6'W, secondary forest at 180 m a.s.l., dome-shaped webs under dead palm fronds on ground, 7.xii.2007 (B.A. Huber).
- epépye** [*Modisimus*: Pholcidae] Huber, 2010 in Huber et al. 2010. ♂ HT. HAITI: Dept. Sud-Est, near Seguin (18°18.2'N, 72°17.5'W, ~990 m a.s.l.), degraded forest with plantations; in deep, wet areas of piles of banana sheaths on ground, 28.xi.2007 (B.A. Huber).
- essotah** [*Smeringopina*: Pholcidae] Huber 2013. ♂ HT (Ar 10289). CAMEROON: Southwest Region, near Dschang, Essotah (5°25.5'N, 9°54.7'E), 1600 m a.s.l., near ground, under and among rocks, 21.iv.2009 (B.A. Huber).
- ethagala** [*Pholcus*: Pholcidae] Huber, 2011. ♂ HT. SRI LANKA: North Western Prov. Kurunegala Distr., Kurunegala, Ethagala mountain [7°29.1'N, 80°22.2'E], ca. 300 m a.s.l., hand collecting, 1–28.xi.2007 (Z. Jaleel).
- exigua** [*Carapoia*: Pholcidae] Huber, 2018. 1♂ PT (Ar 19291). BRAZIL: Bahia, Fazenda Morro de Pedra (12°31.6'–31.8'S, 40°36.1'–36.4'W), 490 m a.s.l., 14.v.2015 (B.A. Huber, L.S. Carvalho).
- fang** [*Smeringopina*: Pholcidae] Huber 2013. ♂ HT (Ar 10193). GABON: Ogooué-Ivindo, near Djidji (0°12.8'N, 11°49.3'E), 470 m a.s.l., forest, 12.viii.2011 (B.A. & S.R. Huber).
- fazendinha** [*Arenita*: Pholcidae] Huber & Carvalho, 2019. 4♂ 12♀ 2 juvs PT (Ar 20631). BRAZIL: Amapá, forest SW Macapá, Área de Proteção Ambiental da Fazendinha, ‘site 2’ (0.051°S, 51.123°W), 20 m a.s.l., 12.x.2016 (B.A. Huber, L.S. Carvalho).
- fon** [*Smeringopina*: Pholcidae] Huber 2013. ♂ HT (Ar 10228). BENIN: Kpinkonzoumé sacred forest (6°20.8'N, 2°18.0'E), 25.xi.2008 (S. Tchibozo).
- gabettæ** [*Mesabolivar*: Pholcidae] Huber, 2015. 6♂ 12♀ PT (Ar 12642–43). BRAZIL: São Paulo, Paranapiacaba, Estação Biológica do Alto da Serra (23°46.7'S, 46°18.6'W), 14–15.xii.2003 (B.A. Huber).
- gabonicus** [*Leptopholcus*: Pholcidae] Huber, 2014 in Huber et al. 2014. ♂ HT (Ar 11932). GABON: Ogooué-Ivindo, Monts de Belinga, forest near Mayebout (1°06.7'N, 13°06.6'E), 500 m a.s.l., 13–14.viii.2011 (B.A. & S.R. Huber).
- gaya** [*Aetana*: Pholcidae] Huber, 2015 (in Huber et al. 2015b). ♂ HT (Ar 13974). MALAYSIA-BORNEO: Sabah, Gaya Island, forest along small stream (6.014–6.018°N, 116.020°E), 30–80 m a.s.l., among rocks and tree buttresses, 4.viii.2014 (B.A. Huber, S.B. Huber).
- ghandii** [*Bristowia*, Salticidae] Kanesharatnam & Benjamin, 2016. ♂ HT,

- ZFMK Ar 17988, IFS_SAL 228. SRI LANKA: Central Province, Kandy District, Balagola, home garden (7°17'20.08"N, 80°42'48.85"E), 476 m, 10.xi.2013 (S.P. Benjamin). 1♀ PT, ZFMK Ar 17983, IFS_SAL 297. SRI LANKA: Central Province, Matale District, IFS Arboretum (7°51'36.70"N, 80°40'29"E), 185 m, litter, 2.xi.2013 (S.P. Benjamin et al.).
- ghubrat** [*Artema*: Pholcidae] Huber in Huber & Carvalho, 2019. ♂ HT (Ar 20593). OMAN: Ad Dakhiliyah, between Tanuf and Al Hamra, Al Ghubrat Cave (23.0718°N, 57.3680°E), lower entrance, in cave, 665 m a.s.l., 15.ii.2018 (B.A. Huber).
- giupponii** [*Mesabolivar*: Pholcidae] Huber, 2015. 2♂ 5♀ PT (Ar 12628). BRAZIL: Rio de Janeiro, Cachoeiras de Macacu, Reserva Ecol. Guapiaçú (22°24.3'S, 42°44.1'W), ~300–400 m a.s.l., 24.ix.2009 (B.A. Huber, A. Giupponi).
- goitaca** [*Mesabolivar*: Pholcidae] Huber, 2015. 6♂ 14♀ PT (Ar 12630-34). BRAZIL: Rio de Janeiro, ~4 km NW Penedo (22°24.5'S, 44°33.0'–44°33.4'W), forest along river, 700–770 m a.s.l., 14–16.viii.2007 (B.A. Huber).
- gordimerae** [*Spermophora*: Pholcidae] Huber, 2003. ♂ HT. SOUTH AFRICA: Western Cape, Kirstenbosch Botanical Gardens, Cape Town (~34°00'S, 18°30'E), 12.viii.1978 (A. Russell-Smith).
- gowindahela** [*Belisana*: Pholcidae] Huber, 2019. ♂ HT (Ar 20006). SRI LANKA: Uva Province, near Gowindahela (7.041°N, 81.538°E), 130–180 m a.s.l., 12.iii.2017 (B.A. Huber).
- gracilis** [*Carapoia*: Pholcidae] Huber 2016b. 1♂ 4♀ PT, ZFMK Ar 15847. BRAZIL: Bahia, Parque Nacional do Pau Brasil, 'site 2' (outside park limits) (16°25.7'S, 39°21.1'W), ~60 m a.s.l., 1.x.2011 (B.A. Huber, A. Pérez González, M.A. Dias).
- guapia** [*Tupigea*: Pholcidae] Huber & Rheims, 2011. 2♂ 2♀ PT. BRAZIL: Rio de Janeiro, Cachoeiras de Macacu, Reserva Ecol. Guapiaçú (22°24.4'–25.3'S, 42°44.2'–44.3'W), 140–280 m a.s.l., 25.ix.2009 (B.A. Huber).
- hamadae** [*Chibchea*: Pholcidae] Huber & Carvalho, 2019. 1♂ 1♀ PT (Ar 20630). BRAZIL: Amazonas, Manaus, Reserva Florestal Adolpho Ducke (2.932°S, 59.970°W), 80 m a.s.l., 5–6.xi.2016 (B.A. Huber, L.S. Carvalho).
- hamiguitan** [*Panjange*: Pholcidae] Huber, 2015 (in Huber & Nuñez 2015). ♂ HT (Ar 13009). PHILIPPINES: Mindanao, Davao Oriental, Mount Hamiguitan Wildlife Sanctuary (access Governor Generoso), 'site 1' (9.6463°N, 126.1442°E), 250 m a.s.l., 12.ii.2015 (M.A. Responde).
- hantaneensis** [*Habrocestum*, Salticidae] Kanesharatnam & Benjamin, 2016. ♂ HT 1♀ PT, ZFMK Ar 17984-85, IFS_SAL 350, 456. SRI LANKA: Central Province, Kandy District, Hantane (7°14'57"N, 80°36'50"E), 585 m, litter, 19.xi.2013 (M.K. Rathnayake, I. Sandunika).
- harare** [*Smeringopus*: Pholcidae] Huber, 2012. ♂ HT (Ar 8551). ZIMBABWE: Harare (17°49'S, 31°05'E), in store room, 28.iv.2004 (M. Cumming).
- ibadan** [*Smeringopina*: Pholcidae] Huber 2013. ♂ HT (Ar 10248). NIGERIA: Ibadan, IITA [International Institute of Tropical Agriculture, 7°29.4'N, 3°53.4'E], fallow bush, 28.x.1974 (A. Russell-Smith).
- iboga** [*Smeringopina*: Pholcidae] Huber 2013. ♂ HT (Ar 10205). GABON: Ngounié, near Mouladoufouala (1°38.1'S, 10°42.5'E), 110 m a.s.l., forest along road, 27.viii.2011 (B.A. & S.R. Huber).
- indah** [*Aetana*: Pholcidae] Huber, 2015 (in Huber et al. 2015b). ♂ HT (Ar 13982). MALAYSIA-BORNEO: Sabah: Crocker Range between Kota Kinabalu and Tambuan, S-slope, forest along river (5.783°N, 116.338–116.340°E), 1430–1480 m a.s.l., near ground, 3.viii.2014 (B.A. Huber, S.B. Huber).
- inmanis** [*Mesabolivar*: Pholcidae] Huber, 2018. 6♂ 12♀ PT (Ar 19072). BRAZIL: Espírito Santo, Vargem Alta, Fazenda Monte Verde (20°27.6–28.2'S, 40°59.5'–41°00.2'W), 1000–1200 m a.s.l., 2–3.x.2010 (B.A. Huber, A. Pérez González).
- inornatus** [*Mesabolivar*: Pholcidae] Huber, 2015. 4♀ PT (Ar 12644). BRAZIL: São Paulo, Paranapiacaba, Estação Biológica do Alto da Serra (23°46.7'S, 46°18.6'W), 14–15.xii.2003 (B.A. Huber).
- isarog** [*Panjange*: Pholcidae] Huber, 2015 (in Huber & Nuñez 2015). ♂ HT (Ar 13013). PHILIPPINES: Luzon, Camarines Sur Prov., Mt. Isarog, W slope (13.664°N, 123.34–123.35°E), ~600–900 m a.s.l., forest, on leaves, 23.ii.2014 (B.A. Huber).
- itajai** [*Mesabolivar*: Pholcidae] Huber, 2018. 1♀ PT (Ar 19197). BRAZIL: Santa Catarina, Serra do Itajaí National Park, 3a Vargem Trail (27.065°S, 49.098°W), ~450 m a.s.l., 15.x.2014 (B.A. Huber, L.S. Carvalho).
- itapoa** [*Mesabolivar*: Pholcidae] Huber, 2015.

- 1♂ 3♀ PT (Ar 12645). BRAZIL: Santa Catarina, Itapoá, Reserva Volta Velha (26°05.8'S, 48°39.1'W), 20 m a.s.l., 27–28.ix.2010 (B.A. Huber, J. Ricetti).
- jamari** [*Mesabolivar*: Pholcidae] Huber, 2018. 4♂ 5♀ PT (Ar 18954). BRAZIL: Floresta Nacional do Jamari, 'sites 2 & 3' (9.22°S, 62.93°W – 9.26°S, 62.92°W), 110 m a.s.l., 24.x.2016 (B.A. Huber, L.S. Carvalho).
- jiboia** [*Carapoia*: Pholcidae] Huber 2016b. 2♂ 2♀ PT, ZFMK Ar 15875. BRAZIL: Bahia, Santa Teresinha, Serra da Jibóia, along small brook (12°50.68'S, 39°29.31'W), 500 m a.s.l., 13.v.2015 (B.A. Huber, L.S. Carvalho).
- jima** [*Modisimus*: Pholcidae] Huber & Fischer, 2010 in Huber et al. 2010. ♂ HT. DOMINICAN REPUBLIC: Monseñor Nouel Prov., near Jima (19°01.4'N, 70°28.8'W), degraded forest at brook through plantation, ~700 m a.s.l., near ground, 8.xi.2005 (B.A. Huber).
- kaeo** [*Savarna*: Pholcidae] Huber, 2015 (in Huber et al. 2015a). ♂ HT (Ar 12983), 7♂ 17♀ PT (Ar 12984, 12985). THAILAND: Prachuap Khiri Khan, Khao Sam Roi Yot N.P., Tham Kaeo (12°12.2'N, 99°59.5'E), 60 m a.s.l., in and around cave, 14.iii.2015 (B.A. Huber, B. Petcharad).
- kaingang** [*Mesabolivar*: Pholcidae] Huber, 2018. 10♂ 4♀ PT (Ar 19142). BRAZIL: Paraná, Saint-Hilaire/Lange National Park, forest above Hotel Mata Atlântica (25.670°S, 48.600°W), ~200–300 m a.s.l., night collecting, 12.x.2014 (B.A. Huber, L.S. Carvalho).
- kakamega** [*Venia*: Linyphiidae] Seyfulina & Jocqué, 2009. ♂ HT (Ar 5791). KENYA: Western Province, Kakamega Forest, Busambuli River (0°13'N, 34°54'E), fogging *Teclea nobilis* tree, 17.i.2003 (W. Freund). 13♂ 11♀ PT (Ar 5792-5802). KENYA: Western Province, Kakamega Forest, various localities, 1999-2003 (W. Freund).
- kala** [*Smeringopina*: Pholcidae] Huber 2013. ♂ HT (Ar 10258). CAMEROON: Centre Region, near Yaoundé, Mt. Kala (3°51.0'N, 11°20.3'E), 730 m a.s.l., near ground, 14.iv.2009 (B.A. Huber).
- kamwai** [*Anansus*: Pholcidae] Huber, 2014 in Huber et al. 2014. ♂ HT (Ar 11931). CAMEROON: Northwest Region, near Bamenda, under trash and logs at roadside (6°00.5'N, 10°18.1'E), 1750 m a.s.l., 16.iv.2009 (B.A. Huber).
- kapit** [*Hantu*: Pholcidae] Huber, 2016a. ♂ HT (Ar 15068). MALAYSIA-BORNEO: Sarawak, near Kapit, forest along river, 1.937–1.944° N, 112.904–112.910° E, 80–120 m a.s.l., 20.vii.2014 (B.A. Huber, S.B. Huber).
- kapit** [*Panjange*: Pholcidae] Huber, 2016 (in Huber & Leh Moi Ung. 2016). ♂ HT (Ar 14582). MALAYSIA-BORNEO: Sarawak, near Kapit, forest along river (1.937–1.944°N, 112.904–112.910°E), 80–120 m a.s.l., 20.vii.2014 (B.A. Huber, S.B. Huber).
- karuna** [*Tissahamia*: Pholcidae] Huber, 2019. ♂ HT (Ar 20065). SRI LANKA: Western Province, Labugama Forest (6.846°N, 80.175°E), 150 m a.s.l., 20.iii.2017 (B.A. Huber).
- kathrinae** [*Mesabolivar*: Pholcidae] Huber, 2015. 7♂ 3♀ PT (Ar 12621). BRAZIL: Bahia, Reserva Biológica de Una, 'site 2' (15°10.6'S, 39°03.5'W), ~50–100 m a.s.l., 4.x.2011 (B.A. Huber, A. Pérez-G., M. Alves Dias).
- kawit** [*Pholcus*: Pholcidae] Huber, 2016, in Huber et al. 2016. ♂ HT (Ar 15504). PHILIPPINES: Mindanao, Mt. Matutum, Kawit Forest, 'site 1' (6.338°N, 125.104°E), 950 m a.s.l., along brook, among rocks and tree roots, 13.ii.2014 (B.A. Huber).
- kaxinawa** [*Carapoia*: Pholcidae] Huber, 2018. 1♂ 4♀ PT (Ar 19244–45). BRAZIL: Amazonas, Guajará, forest at Fazenda Colorado, 'site 2' (7.528°S, 72.655°W), 210–240 m a.s.l., 31.x.2016 (B.A. Huber, L.S. Carvalho, E.O. Machado).
- khaolek** [*Pholcus*: Pholcidae] Huber, 2016 (in Huber et al. 2016a). ♂ HT (Ar 15028). THAILAND: Nakhon Si Thammarat: Khao Nan National Park, Tham Khao Lek (8°46.09'N, 98°43.68'E), 95 m a.s.l., on rock walls around cave, 10.iii.2015 (B.A. Huber, B. Petcharad).
- kindia** [*Pholcus*: Pholcidae] Huber, 2011. ♂ HT. GUINEA: Kindia Region, near Kindia (10°00.8'N, 12°48.6'W), along brook in plantation forest, 540 m a.s.l., 5.xii.2008 (B.A. Huber).
- kinguele** [*Smeringopina*: Pholcidae] Huber 2013. ♂ HT (Ar 10190). GABON: Estuaire, Monts de Cristal, between Tchimbélé and Kinguélé (0°33.8'N, 10°18.8'E), 520 m a.s.l., forest near river, 10.viii.2011 (B.A. & S.R. Huber).
- kintampo** [*Leptopholcus*: Pholcidae] Huber & Kwapong 2013. ♂ HT (Ar 10519). GHANA: Brong-Ahafo Region, Kintampo Falls (8°05.3'N, 1°41.9'W), 280 m a.s.l., degraded forest along stream, 5.iii.2013 (B.A. Huber).

- kipungit** [*Pholcus*: Pholcidae] Huber, 2016 (in Huber et al. 2016a). ♂ HT (Ar 15042). MALAYSIA-BORNEO: Sabah, Mt. Kinabalu, Poring Hot Springs, forest near beginning of Kipungit Trail (6.048°N, 116.706°E), 450 m a.s.l., domed webs in vegetation, 7.viii.2014 (B.A. Huber, S.B. Huber).
- kirinyaga** [*Spermophora*: Pholcidae] Huber & Warui, 2012. ♂ HT (Ar 8762), 4♂ 2♀ PT (Ar 8763). KENYA: Eastern Prov., Mt. Kenya National Park, Chogoria Forest, “site 2” (0°14.2’S, 37°34.0’E), 1950 m a.s.l., under logs on ground, 27.i.2010 (B.A. Huber).
- kiskeya** [*Modisimus*: Pholcidae] Huber & Fischer, 2010 (in Huber et al. 2010). ♂ HT. DOMINICAN REPUBLIC: La Vega Prov., near La Ciénaga (~19°03’N, 70°53’W), path along river, ~1100 m a.s.l., domed web in vegetation, 9.xi.2005 (B.A. Huber).
- kiukoki** [*Aetana*: Pholcidae] Huber, 2015 (in Huber et al. 2015b). ♂ HT (Ar 13934). PHILIPPINES: Mindanao, Davao del Sur Prov., Marilog Distr., Baganihan (7.469°N, 125.250°E), 1210 m a.s.l., primary forest near road, near ground, 15.ii.2014 (B.A. Huber).
- kodigalaensis** [*Habrocestum*, Salticidae] Kanesharatnam & Benjamin, 2016. ♂ HT 1♀ PT, ZFMK Ar 17986-87, IFS_SAL 516, 467. SRI LANKA: North Central Province, Anuradhapura District, Ritigala Strict Nature Reserve, Kodigala summit (8°06’33”N, 80°39’16”E), 716 m, 28.vi.2011 (S.P. Benjamin, S. Batuwita et al.).
- kohi** [*Pholcus*: Pholcidae] Huber, 2011. ♂ HT. INDONESIA: Sumatra, Riau Islands, Bantam Island, outside Turi Beach Resort [1°11.6’N, 104°06.1’E], in fern thicket, 19.vi.1990 (J.K.H. Koh, 90.06.19.0009).
- krabi** [*Pholcus*: Pholcidae] Huber, 2016 (in Huber et al. 2016a). ♂ HT (Ar 15035). THAILAND: Krabi, Khao Phanom Bencha National Park, trails near headquarters (8°14.6’N, 98°55.0’E), 110 m a.s.l., domed webs among forest vegetation, 8.iii.2015 (B.A. Huber, B. Petcharad).
- kribi** [*Pholcus*: Pholcidae] Huber, 2011. ♂ HT. CAMEROON: South Region, forest between Kribi and Campo, “site 2” (2°40.4’N, 9°51.4’E), 15 m a.s.l., under dead leaves on ground, 10.iv.2009 (B.A. Huber).
- kribi** [*Smeringopina*: Pholcidae] Huber 2013. ♂ HT (Ar 10298). CAMEROON: South Region, between Kribi and Campo, “site 2” (2°40.4’N, 9°51.4’E), 15 m a.s.l., near ground, 10.iv.2009 (B.A. Huber).
- kubah** [*Calapnita*: Pholcidae] Huber, 2017. ♂ HT (Ar 15969). MALAYSIA: Sarawak, Kubah National Park, along Main Trail (1.611°N, 110.191–110.195°E), 160–200 m a.s.l., undersides of palm leaves, 13.vii.2014 (B.A. Huber, S.B. Huber).
- kubah** [*Panjange*: Pholcidae] Huber, 2016 (in Huber & Leh Moi Ung. 2016). ♂ HT (Ar 14586). MALAYSIA-BORNEO: Sarawak, Kubah National Park, along Waterfall Trail (1.596–1.606°N, 110.180–110.187°E), 200–300 m a.s.l., 12.vii.2014 (B.A. Huber, S.B. Huber).
- kuhapimuk** [*Pholcus*: Pholcidae] Huber, 2016 (in Huber et al. 2016a). ♂ HT (Ar 15026). THAILAND: Yala, Wat Kuhapimuk (6°31.7’N, 101°13.5’E), 40 m a.s.l., on cave walls mostly in cave entry areas, 4.iii.2015 (B.A. Huber, B. Petcharad).
- kyambura** [*Spermophora*: Pholcidae] Huber & Warui, 2012. ♂ HT (Ar 8764), 4♂ 11♀ PT (Ar 8765). UGANDA: Bushenyi District, Kyambura River Gorge (~0°10.7’S, 30°05.8’E), 900 m a.s.l., 29.xi.2010 (B.A. Huber).
- labugama** [*Wanniyala*: Pholcidae] Huber, 2019. ♂ HT (Ar 20096). SRI LANKA: Western Province, Labugama Forest (6.846°N, 80.175°E), 150 m a.s.l., 20.iii.2017 (B.A. Huber).
- lambir** [*Aetana*: Pholcidae] Huber, 2015 (in Huber et al. 2015b). ♂ HT (Ar 13967). MALAYSIA-BORNEO: Sarawak: Lambir Hills N.P. (4.198–4.207°N, 114.034–114.045°E), 60–150 m a.s.l., in domed webs among low vegetation, 22.vii.2014 (B.A. Huber, S.B. Huber).
- lambir** [*Pholcus*: Pholcidae] Huber, 2016 (in Huber et al. 2016a). ♂ HT (Ar 15059). MALAYSIA-BORNEO: Sarawak, Lambir Hills National Park (4.198–4.207°N, 114.034–114.045°E), 60–150 m a.s.l., in domed webs under leaves, 22.vii.2014 (B.A. Huber, S.B. Huber).
- lehi** [*Calapnita*: Pholcidae] Huber, 2017. ♂ HT (Ar 15964). MALAYSIA: Sarawak, Lambir Hills National Park (4.198–4.207°N, 114.034–114.045°E), 60–150 m a.s.l., underside of leaves, 22.vii.2014 (B.A. Huber, S.B. Huber).
- lekoni** [*Smeringopina*: Pholcidae] Huber 2013. ♂ HT (Ar 10203). GABON: Haut Ogooué, forest at Lékon River (1°10.7’S, 13°32.3’E), 305 m a.s.l., 18.viii.2011 (B.A. & S.R. Huber).
- leprete** [*Modisimus*: Pholcidae] Huber, 2010 (in Huber et al. 2010). ♂ HT. HAITI: Dept. Sud, near Le Prete (18°15.9’N,

- 73°56.7'W), 170 m a.s.l., forest over coffee and banana, sheltered places near ground, 2.xii.2007 (B.A. Huber).
- libjo** [*Aetana*: Pholcidae] Huber, 2015 (in Huber et al. 2015b). ♂ HT (Ar 13929). PHILIPPINES: Dinagat Isl., near Libjo, Paragua Forest, 'site 1' (10.222°N, 125.553°E), 130 m a.s.l., forest at brook, among low vegetation, 20.ii.2014 (B.A. Huber).
- lintang** [*Pholcus*: Pholcidae] Huber, 2016 (in Huber et al. 2016a). ♂ HT (Ar 15014). MALAYSIA-BORNEO: Sarawak, Bako National Park, along Lintang Trail (1.713–1.722°N, 110.447–110.457°E), 10–130 m a.s.l., 11.vii.2014 (B.A. Huber, S.B. Huber).
- loboc** [*Aetana*: Pholcidae] Huber, 2015 (in Huber et al. 2015b). ♂ HT (Ar 13955). PHILIPPINES: Bohol Isl., near Loboc, above Loboc River (9.651°N, 124.022°E), ~50 m a.s.l., ravine in degraded forest, 5.iii.2014 (B.A. Huber).
- loksado** [*Calapnita*: Pholcidae] Huber, 2017. ♂ HT (Ar 16045). INDONESIA: South Kalimantan, Loksado (2.796°S, 115.503°E), 260 m a.s.l., degraded forest along small stream, 27.x.2009 (S. Sutono).
- longipes** [*Haplopelma*: Theraphosidae] Wirth & Striffler, 2005. 1♀ PT (Ar 003): THAILAND, 3.iii.2001 (S. Capaninni). 1 ♂ PT (Ar 004): THAILAND, 15.xii.2001 (T. Klein).
- lozadae** [*Aetana*: Pholcidae] Huber, 2015 (in Huber et al. 2015b). ♂ HT (Ar 13996). PHILIPPINES: Luzon, Camarines Sur Prov., Mt. Isarog, W slope (13.664°N, 123.34–123.35°E), ~600–900 m a.s.l., forest, near ground, 23.ii.2014 (B.A. Huber).
- maathaiae** [*Spermophora*: Pholcidae] Huber & Warui, 2012. ♂ HT (Ar 8749), 2♂ 5♀ PT (Ar 8750). KENYA: Eastern Prov., Mt. Kenya N.P., Chogoria Forest, "site 1" (0°12.1'S, 37°29.4'E), 2460 m a.s.l., 27.i.2010 (B.A. Huber).
- macacu** [*Carapoia*: Pholcidae] Huber 2016b. 1♂ 2♀ PT, ZFMK Ar 15822. BRAZIL: Rio de Janeiro, Cachoeiras de Macacu, Reserva Ecol. Guapiaçú (22°24.3'S, 42°44.1'W), ~300–400 m a.s.l., 24.ix.2009 (B.A. Huber, A. Giupponi).
- macaya** [*Modisimus*: Pholcidae] Huber & Fischer in Huber et al. 2010. ♂ HT. HAITI: Dept. Sud, Macaya Biosphere Reserve at 18°20.4'N, 74°00.9'W, broadleaf forest patch in ravine, 1290 m a.s.l., domed webs in escarpment of ravine, 29.xi.2007 (B.A. Huber).
- maculata** [*Carapoia*: Pholcidae] Huber, 2018. 2♂ 13♀ PT (Ar 19298–99). BRAZIL: Bahia, Fazenda Morro de Pedra (12°31.6'–31.8'S, 40°36.1'–36.4'W), 490 m a.s.l., 14.v.2015 (B.A. Huber, L.S. Carvalho).
- macushi** [*Mesabolivar*: Pholcidae] Huber, 2018. ♂ HT (Ar 18962). VENEZUELA: Bolívar, forest near base of Salto Angel (5°58.0'N, 62°31.7'W), ~720 m a.s.l., domed webs near ground, 7.xii.2002 (B.A. Huber).
- madalena** [*Mesabolivar*: Pholcidae] Huber, 2018. 5♂ 4♀ PT (Ar 19071). BRAZIL: Rio de Janeiro, Santa Maria Madalena, forest fragment (21°58.9–59.1'S, 41°57.2–57.6'W), 480–590 m a.s.l., 30.ix.–1.x.2010 (B.A. Huber, A. Pérez-González).
- mae** [*Calapnita*: Pholcidae] Huber, 2017. ♂ HT (Ar 16054). PHILIPPINES: Mindanao, Davao Oriental, Mount Hamiguitan Range Wildlife Sanctuary (access San Isidro), 'site 2' (6.724°N, 126.175°E), 790 m a.s.l., 10.ii.2015 (M.A. Responte).
- magaseng** [*Calapnita*: Pholcidae] Huber, 2017. ♂ HT (Ar 16026). MALAYSIA: Sarawak, Mount Penrissen near Borneo Highland Resort, Ma Gaseng Trail (1.124–1.127°N, 110.217°E), 870–930 m a.s.l., underside of leaf, 14.vii.2014 (B.A. Huber, S.B. Huber).
- makandal** [*Modisimus*: Pholcidae] Huber & Fischer, 2010 in Huber et al. 2010. ♂ HT. DOMINICAN REPUBLIC: Santiago Rodríguez Prov., near Cana (19°29.8'N, 71°16.9'W), overhangs along river, 150 m a.s.l., 15.xi.2005 (B.A. Huber).
- malagos** [*Panjange*: Pholcidae] Huber, 2015 (in Huber & Nuñez 2015). ♂ HT (Ar 12998). PHILIPPINES: Mindanao, Davao del Sur Prov., Malagos Watershed (7.184°N, 125.415°E), 390 m a.s.l., forest along river, on leaves, 14.ii.2014 (B.A. Huber, E. Mondejar).
- manansalai** [*Aetana*: Pholcidae] Huber, 2015 (in Huber et al. 2015b). ♂ HT (Ar 13992). PHILIPPINES: Luzon Isl., Quezon Prov., between Lucban and Tayabas (14.063°N, 121.567°E), 330 m a.s.l., degraded forest along river, near ground, 26.ii.2014 (B.A. Huber).
- mango** [*Modisimus*: Pholcidae] Huber, 2010 in Huber et al. 2010. ♂ HT. HAITI: Dept. Sud, Le Prete (18°15.9'N, 73°56.7'W, ~170 m a.s.l.), in small web under dead mango leave on ground, near river, 2.xii.2007 (B.A. Huber).

- manokwari** [*Arnapa*: Pholcidae] Huber in Huber & Carvalho, 2019. ♂ HT (Ar 20607). INDONESIA: West Papua, Manokwari, Gunung Meja (0.860°S, 134.084°E), 190 m a.s.l., 8.xi.2009 (S. Sutono).
- mapalena** [*Wanniyala*: Pholcidae] Huber, 2019. ♂ HT (Ar 20094). SRI LANKA: Sabaragamuwa Province, between Ratnapura and Mapalena Ella (6.762°N, 80.428°E), 100 m a.s.l., 19.iii.2017 (B.A. Huber).
- maraba** [*Mesabolivar*: Pholcidae] Huber, 2018. 5♂ 6♀ PT (Ar 18948). BRAZIL: Pará, Marabá, forest near road, 'site 1' (5.414°S, 49.074°W), 140 m a.s.l., 7–8.x.2016 (B.A. Huber, L.S. Carvalho).
- maragusan** [*Calapnita*: Pholcidae] Huber, 2017. ♂ HT (Ar 16080). PHILIPPINES: Mindanao, Davao, Compostela Valley, Maragusan, 'site 1' (7.345°N, 126.173°E), 770 m a.s.l., 21.xi.2014 (M.A. Responde).
- marceloi** [*Carapoia*: Pholcidae] Huber 2016b. 7♂ 24♀ PT, ZFMK Ar 15869–70. BRAZIL: Bahia, Reserva Ecológica da Michelin, 'site 1' (13°49.3'S, 39°11.9'W), ~140 m a.s.l., 5.x.2011 (B.A. Huber, A. Pérez González, M.A. Dias).
- marilog** [*Panjange*: Pholcidae] Huber, 2015 (in Huber & Nuñez 2015). ♂ HT (Ar 13018). PHILIPPINES: Mindanao, Davao del Sur Prov., Marilog Distr., Baganihan (7.469°N, 125.250°E), 1210 m a.s.l., primary forest near road, on leaves, 15.ii.2014 (B.A. Huber, E. Mondejar).
- mariposas** [*Modisimus*: Pholcidae] Huber & Fischer, 2010 in Huber et al. 2010. ♂ HT. DOMINICAN REPUBLIC: Monseñor Nouel Prov., near Jima (19°01.4'N, 70°28.8'W), degraded forest at brook through plantation ~700 m a.s.l., near ground, 8.xi.2005 (B.A. Huber).
- matutum** [*Pholcus*: Pholcidae] Huber, 2016 (in Huber et al. 2016b). ♂ HT. PHILIPPINES: Mindanao, Mt. Matutum, Kawit Forest, 'site 1' (6.338°N, 125.104°E), 950 m a.s.l., along brook, on leaf, 13.ii.2014 (B.A. Huber, E. Mondejar).
- mau** [*Spermophora*: Pholcidae] Huber & Warui, 2012. ♂ HT (Ar 8747), 2♂ 5♀ PT (Ar 8748). KENYA: Rift Valley, Mau Escarpment near Elburgon (0°25.3'S, 35°47.3'E), 2930 m a.s.l., 5.ii.2010 (B.A. Huber).
- mayebout** [*Smeringopina*: Pholcidae] Huber 2013. ♂ HT (Ar 10291). GABON: Ogooué-Ivindo, Monts de Bellinga, forest near Mayebout (1°06.7'N, 13°06.6'E), 500 m a.s.l., 13-14.viii.2011 (B.A. & S.R. Huber).
- mbouda** [*Smeringopina*: Pholcidae] Huber 2013. ♂ HT (Ar 10221). CAMEROON: West Region, near Mbouda, Bamboutos (5°37.3'N, 10°06.7'E), 2100 m a.s.l., among rocks, near ground, 19.iv.2009 (B.A. Huber).
- meemure** [*Brignolia*, Oonopidae] Ranasinghe & Benjamin, 2016a. ♂ HT 1♀ PT, ZFMK Ar 18001-02, IFS_Oon_241, 243. SRI LANKA: Central Province, Kandy District, Meemure (7°25'51"N, 80°50'44"E), 636 m, litter, 20.x.2014 (N. Athukorala et al.).
- meja** [*Arnapa*: Pholcidae] Huber in Huber & Carvalho, 2019. ♂ HT (Ar 20609). INDONESIA: West Papua, Manokwari, Gunung Meja (0.860°S, 134.084°E), 190 m a.s.l., 8.xi.2009 (S. Sutono).
- metta** [*Pholcus*: Pholcidae] Huber, 2019. ♂ HT (Ar 20048). SRI LANKA: North Central Province, Dimbulagala (7.860°N, 81.118°E), 140 m a.s.l., 11.iii.2017 (B.A. Huber).
- mgahinga** [*Smeringopus*: Pholcidae] Huber, 2012. ♂ HT (Ar 8516). UGANDA: Kisoro District, Mgahinga Gorilla National Park, Garama Cave, cave entrance (1°21.4'S, 29°37.9'E), 2500 m a.s.l., 25.xi.2010 (B.A. Huber).
- minneriya** [*Belisana*: Pholcidae] Huber, 2019. ♂ HT (Ar 19999). SRI LANKA: North Central Province, Minneriya Forest (8.047°N, 80.832°E), 150 m a.s.l., 10.iii.2017 (B.A. Huber).
- mimoso** [*Mesabolivar*: Pholcidae] Huber, 2018. 1♂ 1♀ PT (Ar 19069). BRAZIL: Espírito Santo, Mimoso do Sul, Finca Tacutinga, forest fragment (21°01.4'S, 41°23.4'W), 240 m a.s.l., 4.x.2010 (B.A. Huber, A. Pérez-González).
- miri** [*Modisimus*: Pholcidae] Huber & Fischer, 2010 in Huber et al. 2010. ♂ HT. DOMINICAN REPUBLIC: Duarte Prov., Reserva Científica Loma Quita Espuela, near summit (19°21.5'N, 70°09'W), 900 m a.s.l., underside of manacla (palm) leaves, 10.xi.2005 (B.A. Huber).
- mirim** [*Carapoia*: Pholcidae] Huber 2016b. 5♂ 5♀ PT, ZFMK Ar 15840–41. BRAZIL: Espírito Santo, Reserva Biológica de Sooretama, 'site 1' (19°03.3'S, 40°08.8'W), ~90 m a.s.l., 27.ix.2011 (B.A. Huber, A. Pérez González).
- mililwane** [*Smeringopus*: Pholcidae] Huber, 2012. ♂ HT (Ar 8521). SWAZILAND: Mlilwane Game Reserve [~26°26.5'S, 31°11.0'E], in crevices of rocks, 31.iii.2001 (B.A. Huber, K. Schütt).

- mohoba** [*Smeringopina*: Pholcidae] Huber 2013. ♂ HT (Ar 10192). GABON: Ogooué-Ivindo, near Mohoba Mozeye (0°16.8'N, 13°20.9'E), 510 m a.s.l., forest along road, 17.viii.2011 (B.A. & S.R. Huber).
- mokwam** [*Aetana*: Pholcidae] Huber in Huber & Carvalho, 2019. ♂ HT (Ar 20652). INDONESIA: West Papua, Arfak Mountains, forest above Mokwam (1.112°S, 133.911°E), 1600 m a.s.l., 5–6.xi.2009 (S. Sutono).
- molimo** [*Quamtana*: Pholcidae] Huber, 2003. ♂ HT. LESOTHO: Molimo Nhtuse (~29°20'S, 27°40'E), in herbs and grass, 16.iv.1974 (A. Russell-Smith).
- monteverde** [*Mesabolivar*: Pholcidae] Huber, 2015. 2♂ 5♀ PT (Ar 12626). BRAZIL: Espírito Santo, Vargem Alta, Fazenda Monte Verde (20°27.6'–20°28.2'S, 40°59.5'–41°00.2'W), 1000–1200 m a.s.l., 2–3.x.2009 (B.A. Huber, A. Pérez González).
- moudouma** [*Smeringopina*: Pholcidae] Huber 2013. ♂ HT (Ar 10206). GABON: Ogooué-Lolo, near Moudouma (1°23.5'S, 12°09.6'E), 475 m a.s.l., forest along brook, 24.viii.2011 (B.A. & S.R. Huber).
- mpanga** [*Smeringopus*: Pholcidae] Huber, 2012. ♂ HT (Ar 8523). UGANDA: Mpigi District, Mpanga Forest Reserve (0°12.4'N, 32°18.1'E), 1200 m a.s.l., 22.xi.2010 (B.A. Huber).
- mudita** [*Wanniyala*: Pholcidae] Huber, 2019. ♂ HT (Ar 20076). SRI LANKA: Central Province, Kandy, Dunumadallawa Forest (7.282°N, 80.643°E), 600–680 m a.s.l., 8.iii.2017 (B.A. Huber).
- mulu** [*Pholcus*: Pholcidae] Huber, 2016, in Huber et al. 2016. ♂ HT (Ar 15500). MALAYSIA-BORNEO: Sarawak, Gunung Mulu National Park, forest near Deer Cave (4.027°N, 114.818°E), 60 m a.s.l., among rocks, 23.vii.2014 (B.A. Huber, S.B. Huber).
- munduruku** [*Carapoia*: Pholcidae] Huber, 2018. 22♂ 11♀ PT (Ar 19225–26). BRAZIL: Pará, Floresta Nacional de Tapajós, km 83 (3.049°S, 54.928°W), 95 m a.s.l., 14–18.x.2016 (B.A. Huber, L.S. Carvalho).
- murici** [*Mesabolivar*: Pholcidae] Huber, 2018. 9♂ 10♀ PT (Ar 19162). BRAZIL: Alagoas, near Murici, Estação Ecológica de Murici (9°14.8'S, 35°50.3'W), 350–400 m a.s.l., 18.v.2015 (B.A. Huber, L.S. Carvalho).
- nadong** [*Pholcus*: Pholcidae] Huber, 2011. ♂ HT. SOUTH KOREA: Chungcheongbuk-do (Prov.), Danyang-gun (County), Cave Nadong (36°57.0'N, 128°23.7'E), 21.vii.2005 (B.W. Kim).
- nairae** [*Carapoia*: Pholcidae] Huber 2016b. 15♂ 14♀ PT, ZFMK Ar 15833–34. BRAZIL: Espírito Santo, Vargem Alta, Fazenda Monte Verde (20°27.6'–28.2'S, 40°59.5'–41°00.2'W), 1000–1200 m a.s.l., 2–3.x.2009 (B.A. Huber, A. Pérez González).
- narathiwat** [*Pholcus*: Pholcidae] Huber, 2016 (in Huber et al. 2016a). ♂ HT (Ar 15041). THAILAND: Narathiwat, Hala Bala Wildlife Sanctuary, 'site 3' (5°48.4'N, 101°49.4'E), 180 m a.s.l., forest near road, domed webs among vegetation, 2.iii.2015 (B.A. Huber, B. Petcharad).
- ndjole** [*Smeringopina*: Pholcidae] Huber 2013. ♂ HT (Ar 10215). GABON: Moyen-Ogooué, near Ndjolé, "site 1" (0°09.0'S, 10°40.0'E), 120 m a.s.l., forest near brook, 11.viii.2011 (B.A. & S.R. Huber).
- ngangao** [*Smeringopus*: Pholcidae] Huber, 2012. ♂ HT (Ar 8546). KENYA: Coast Province, Taita Hills, Ngangao Forest (3°22.2'S, 38°20.4'E), 1810 m a.s.l., 19.i.2010 (B.A. Huber).
- niah** [*Hantu*: Pholcidae] Huber, 2016a. ♂ HT (Ar 15071). MALAYSIA-BORNEO: Sarawak, Niah Cave N.P., forest near cave, 3.814°N, 113.771°E, 40 m a.s.l., 28.vii.2014 (B.A. Huber).
- niah** [*Panjange*: Pholcidae] Huber, 2016 (in Huber & Leh Moi Ung. 2016). ♂ HT (Ar 14578). MALAYSIA-BORNEO: Sarawak, Niah Cave National Park, forest near headquarters (3.820°N, 113.763°E), 40 m a.s.l., night collecting, 28.vii.2014 (B.A. Huber, S.B. Huber).
- niteroi** [*Mesabolivar*: Pholcidae] Huber, 2018. 2♂ 1♀ PT (Ar 19198). BRAZIL: Paraná, Saint-Hilaire/Lange National Park, forest along river above Fazenda Niteroi (25.657°S, 48.601°W), ~100 m a.s.l., 11.x.2014 (B.A. Huber, L.S. Carvalho).
- nkoetye** [*Pholcus*: Pholcidae] Huber, 2011. ♂ HT. CAMEROON: South Region, near Ebolowa, Nkoetye (2°51.4'N, 11°21.7'E), 700 m a.s.l., underside of leaf, 12.iv.2009 (B.A. & J.C. Huber).
- nunezae** [*Calapnita*: Pholcidae] Huber, 2017. ♂ HT (Ar 16063). PHILIPPINES: Camiguin Island, Katibawasan Falls (9.215°N, 124.720°E), 300 m a.s.l., on leaf, 19.ii.2014 (B.A. Huber, P.N. Banaag).
- nuwaraeliya** [*Xestapis*, Oonopidae] Ranasinghe & Benjamin, 2016b. ♂ HT, ZFMK Ar 17993, IFS_Oon_046. SRI LANKA: Central Province, Nuwara Eliya

- District, Peak Wilderness Sanctuary, 22.ii.2007 (S.P. Benjamin, Z. Jaleel). 1♀ PT, ZFMK Ar 17994, IFS_Oon_123. SRI LANKA: Central Province, Nuwara Eliya (6°46'N, 80°36'E), 14.ii.2012 (S.P. Benjamin, N. Athukorala).
- nyahururu** [*Quamtana*: Pholcidae] Huber & Warui, 2012. ♂ HT (Ar 8767), 3♂ 1♀ PT (Ar 8768). KENYA: Rift Valley Prov., Thompson Falls near Nyahururu, (0°02.7'N, 36°22.1'E), 2350 m a.s.l., on underside of leaf, 30.i.2010 (B.A. Huber).
- nyasoso** [*Smeringopina*: Pholcidae] Huber 2013. ♂ HT (Ar 10252). CAMEROON: Southwest Region, Mt. Koupé above Nyasoso (4°49.6'N, 9°41.1'E), ~1600 m a.s.l., near ground, 23.iv.2009 (B.A. Huber).
- ocampo** [*Aetana*: Pholcidae] Huber, 2015 (in Huber et al. 2015b). ♂ HT (Ar 13927). PHILIPPINES: Luzon, Camarines Sur Prov., Mt. Isarog, W slope (13.664°N, 123.34–123.35°E), ~600–900 m a.s.l., forest, near ground, 23.ii.2014 (B.A. Huber).
- ogouue** [*Smeringopina*: Pholcidae] Huber 2013. ♂ HT (Ar 10264). GABON: Ogooué-Lolo, near Moudouma (1°23.5'S, 12°09.6'E), 475 m a.s.l., forest along brook, 24.viii.2011 (B.A. & S.R. Huber).
- ohiya** [*Wanniyala*: Pholcidae] Huber, 2019. ♂ HT (Ar 20088). SRI LANKA: Uva Province, near Ohiya (6.807°N, 80.848°E), 2000 m a.s.l., 15.iii.2017 (B.A. Huber).
- ohiyaensis** [*Habrocestum*, Salticidae] Kanesharatnam & Benjamin, 2016. ♂ HT, ZFMK Ar 17989, IFS_SAL 267. SRI LANKA: Central Province, Badulla District, Ohiya (6°49'08.32"N, 80°50'41.35"E), 1280 m, 26.v.2012 (N. Athukorala).
- okgye** [*Pholcus*: Pholcidae] Huber, 2011. ♂ HT. SOUTH KOREA: Gangwon-do (Prov.), Okgye-myeon (37°34.3'N, 128°56.8'E), entrance of Cave Okgye, 3.ix.2005 (B.W. Kim).
- olangapo** [*Pholcus*: Pholcidae] Huber, 2016, in Huber et al. 2016. ♂ HT (Ar 15496). PHILIPPINES: Luzon, Bataan Prov., near Olangapo, along river near Pamulaklakin Forest Trail (14.798°N, 120.338°E), 80 m a.s.l., on wet rock wall, 28.ii.2014 (B.A. Huber).
- ondaatjei** [*Brignolia*, Oonopidae] Ranasinghe & Benjamin, 2016a. ♂ HT 1♀ PT, ZFMK Ar 17997-98, IFS_Oon_227-228. SRI LANKA: Badulla District, Rawana Ella, forest around cave (6°51'52.4"N, 81°03'01.3"E), 990 m, litter, 27.vi.2014 (N. Athukorala, S. Ranasinghe).
- ondawamei** [*Aetana*: Pholcidae] Huber in Huber & Carvalho, 2019. ♂ HT (Ar 20657). INDONESIA: West Papua, Manokwari, Gunung Meja (0.860°S, 134.084°E), 190 m a.s.l., among rocks, 8.xi.2009 (S. Sutono).
- orientalis** [*Wanniyala*: Pholcidae] Huber, 2019. ♂ HT (Ar 20078). SRI LANKA: North Central Province, Dimbulagala (7.860°N, 81.118°E), 140 m a.s.l., 11.iii.2017 (B.A. Huber).
- oromia** [*Smeringopus*: Pholcidae] Huber, 2012. ♂ HT (Ar 8552). ETHIOPIA: Oromia Region, Lake Langan [~7°36'N, 38°41'E], under stones, short grass near hotel, 24.x.1982 (A. Russell-Smith).
- padaviya** [*Xestapis*, Oonopidae] Ranasinghe & Benjamin, 2016b. ♂ HT 1♀ PT, ZFMK Ar 17995-96, IFS_Oon_084, 088. SRI LANKA: North Central Province, Anuradhapura District, Padaviya (8°48'N, 80°45'E), 51 m, litter, 10.i.2012 (N. Athukorala).
- pallens** [*Mesabolivar*: Pholcidae] Huber, 2018. 1♂ 2♀ PT (Ar 19093). BRAZIL: Espírito Santo, Vargem Alta, Fazenda Monte Verde (20°27.6'–28.2'S, 40°59.5'–41°00.2'W), 1000–1200 m a.s.l., 2–3.x.2010 (B.A. Huber, A. Pérez-González).
- palvet** [*Modisimus*: Pholcidae] Huber & Fischer, 2010 in Huber et al. 2010. ♂ HT. HAITI: Dept. Sud, Macaya Biosphere Reserve at 18°20.5'N, 74°01.0'W, ravine with some broadleaf trees in pine forest, 1350 m a.s.l., domed sheets connected to undersides of green leaves, 30.xi.2007 (B.A. Huber).
- paragua** [*Aetana*: Pholcidae] Huber, 2015 (in Huber et al. 2015b). ♂ HT (Ar 13952). PHILIPPINES: Dinagat Isl., near Libjo, Paragua Forest, 'site 1' (10.222°N, 125.553°E), 130 m a.s.l., forest at brook, near ground, 20.ii.2014 (B.A. Huber).
- paraiso** [*Modisimus*: Pholcidae] Huber, 2010 in Huber et al. 2010. ♂ HT. DOMINICAN REPUBLIC: Barahona Prov., ~7 km NW Paraíso (18°02.4'N, 71°11.6'W, ~180 m a.s.l.), forest near river, in vegetation, about 0.5-2 m above ground, sheet webs connected to undersides of leaves, 7.xii.2007 (B.A. Huber).
- paranapiacaba** [*Metagonia*: Pholcidae] Huber, Rheims & Brescovit, 2005. 4♂ 4♀ PT. BRAZIL: São Paulo, Paranapiacaba, Estação Biológica do Alto da Serra, 14-15.xii.2003 (Huber, Schulz, Rheims,

- Indicatti).
- pasambai** [*Aetana*: Pholcidae] Huber, 2015 (in Huber et al. 2015b). ♂ HT (Ar 13960). PHILIPPINES: Negros Isl., Negros Oriental Prov., Casaroro Falls (9.281°N, 123.208°E), 550 m a.s.l., forest along river below waterfall, 10.iii.2014 (B.A. Huber).
- patafina** [*Carapoia*: Pholcidae] Huber 2016b. 2♂ 2♀ PT, ZFMK Ar 15843. BRAZIL: Espírito Santo, Reserva Biológica Córrego do Veado, 'site 2' (18°21.7'S, 40°10.0'W), ~90 m a.s.l., 29.ix.2011 (B.A. Huber, A. Pérez González).
- pau** [*Carapoia*: Pholcidae] Huber 2016b. 5♂ 3♀ PT, ZFMK Ar 15845. BRAZIL: Bahia, Parque Nacional do Pau Brasil, 'site 2' (outside park limits) (16°25.7'S, 39°21.1'W), ~60 m a.s.l., 1.x.2011 (B.A. Huber, A. Pérez González, M.A. Dias).
- pau** [*Mesabolivar*: Pholcidae] Huber, 2015. 3♂ 2♀ PT (Ar 12624). BRAZIL: Bahia, Parque Nacional do Pau Brasil, 'site 2' (outside park limits) (16°25.7'S, 39°21.1'W), ~60 m a.s.l., 1.x.2011 (B.A. Huber, A. Pérez-G., M. Alves Dias).
- pelejil** [*Modisimus*: Pholcidae] Huber & Fischer, 2010 in Huber et al. 2010. ♂ HT. DOMINICAN REPUBLIC: San Juan Prov., E of San Juan de la Maguana (18°47.6'N, 71°12.2'W), degraded forest along river, 410 m a.s.l., 16.xi.2005 (B.A. Huber).
- penedo** [*Tupigea*: Pholcidae] Huber & Rheims, 2011. 1♂ 1♀ PT. BRAZIL: Rio de Janeiro, ~4 km NW Penedo (22°24.5'S, 44°33.0'-33.4'W), forest along river, 700-770 m a.s.l., 14-16.viii.2007 (B.A. Huber).
- perezi** [*Mesabolivar*: Pholcidae] Huber, 2015. 2♂ 2♀ PT (Ar 12627). BRAZIL: Espírito Santo: Vargem Alta, Fazenda Monte Verde (20°27.6'-20°28.2'S, 40°59.5'-41°00.2'W), 1000-1200 m a.s.l., 2-3.x.2009 (B.A. Huber, A. Pérez González).
- petropolis** [*Metagonia*: Pholcidae] Huber, Rheims & Brescovit, 2005. 4♂ 3♀ PT. BRAZIL: Rio de Janeiro, Petropolis, Fazenda Ranchinho da Roça, 8-15.ii.2000 (equipe BIOTA).
- pingtung** [*Pholcus*: Pholcidae] Huber & Dimitrov, 2014. ♂ HT (Ar 11959). TAIWAN: Pingtung County, Sheding Nature Park near Kenting (21.9573°N, 120.8208°E), 200 m a.s.l., at rocks, 26.vi.2013 (B.A. Huber, S. Aharon).
- pophami** [*Xestapis*, Oonopidae] Ranasinghe & Benjamin, 2016b. ♂ HT, ZFMK Ar 17991, IFS_Oon_070. SRI LANKA: Central Province, Matale District, NIFS Arboretum (7°51'34"N, 80°40'28"E), 180 m, 27.iv.2010 (S.P. Benjamin, S. Batuwita).
- poring** [*Aetana*: Pholcidae] Huber, 2015 (in Huber et al. 2015b). ♂ HT (Ar 13977). MALAYSIA-BORNEO: Sabah: Mt. Kinabalu, Poring Hot Springs, forest along Kipungit river (6.049°N, 116.712°E), 450 m a.s.l., near ground, 7.viii.2014 (B.A. Huber).
- pueh** [*Panjange*: Pholcidae] Huber, 2016 (in Huber & Leh Moi Ung. 2016). ♂ HT (Ar 14575). MALAYSIA-BORNEO: Sarawak, Pueh foothills, forest along river (1.798-1.800°N, 109.708-109.718°E), 100-200 m a.s.l., 16.vii.2014 (B.A. Huber, S.B. Huber).
- pulchra** [*Carapoia*: Pholcidae] Huber, 2018. 10♂ 14♀ PT (Ar 19256-57). BRAZIL: Alagoas, Reserva Biológica de Pedra Talhada (9°14.5'-14.0'S, 36°26.5'-27.2'W), 650-700 m a.s.l., 20-21.v.2015 (B.A. Huber, L.S. Carvalho).
- punu** [*Pholcus*: Pholcidae] Huber, 2014 in Huber et al. 2014. ♂ HT (Ar 11938). GABON: Haut Ogooué, forest above Canyon rose near Lékoné (1°38.6'S, 14°17.5'E), 600 m a.s.l., 19.viii.2011 (B.A. & S.R. Huber).
- puranappui** [*Pholcus*: Pholcidae] Huber, 2019. ♂ HT (Ar 20050). SRI LANKA: Sabaragamuwa Province, above Dematagala (6.451°N, 80.751°E), 160 m a.s.l., 16.iii.2017 (B.A. Huber).
- rawiriae** [*Pholcus*: Pholcidae] Huber, 2014 in Huber et al. 2014. ♂ HT (Ar 11951). GABON: Ogooué-Ivindo, near Mohoba Mozeye (0°16.8'N, 13°20.9'E), 510 m a.s.l., forest along road, 17.viii.2011 (B.A. & S.R. Huber).
- roumaini** [*Modisimus*: Pholcidae] Huber, 2010 in Huber et al. 2010. ♂ HT. HAITI: Dept. Sud-Est, between Léogâne and Jacmel at 18°21.4'N, 72°35.0'W, secondary forest over plantations, near ground, under leaves, 730 m a.s.l., 26.xi.2007 (B.A. Huber).
- rubra** [*Carapoia*: Pholcidae] Huber, 2018. 12♂ 5♀ PT (Ar 19253). BRAZIL: Pará, Floresta Nacional de Tapajós, km 67, 'site 2' (2.875°S, 54.941°W), 190 m a.s.l., 15.x.2016 (B.A. Huber, L.S. Carvalho).
- russellsmithi** [*Ninetis*: Pholcidae] Huber, 2002. ♂ HT. MALAWI: Central Malawi, 12 km S Monkey Bay (~14°03'S, 35°00'E), 19.xii.1977 (A. Russell-Smith).
- saci** [*Mesabolivar*: Pholcidae] Huber, 2018.

- 1♂ 3♀ PT (Ar 19207). BRAZIL: Santa Catarina, São Joaquim National Park (28.034°S, 49.611°W), fern forest along small stream, ~1100–1200 m a.s.l., 18.x.2014 (B.A. Huber, L.S. Carvalho).
- sahoue** [*Smeringopina*: Pholcidae] Huber 2013. ♂ HT (Ar 10301). GABON: Estuaire, forest near Sahoué, N Libreville (0°34.6'N, 9°20.4'E), 30 m a.s.l., 28.viii.2011 (B.A. & S.R. Huber).
- sai** [*Mesabolivar*: Pholcidae] Huber, 2015. 11♂ 10♀ PT (Ar 12635). BRAZIL: Rio de Janeiro, Reserva Ecologica Rio das Pedras (22°59.5'S, 44°06.0'W), 50 m a.s.l., night, 25.ix.2009 (B.A. Huber).
- saltinho** [*Carapoia*: Pholcidae] Huber 2016b. 2♂ 9♀ PT, ZFMK Ar 15892–93. BRAZIL: Pernambuco, Tamandaré, Reserva Biológica de Saltinho (8°43.6'S, 35°10.7'W), 50 m a.s.l., 26.v.2015 (B.A. Huber, L.S. Carvalho).
- samana** [*Tainonia*: Pholcidae] Huber & Astrin, 2009. ♂ HT (Ar 1476). DOMINICAN REPUBLIC: Samaná Prov., S of Las Galeras (19°12.8'N, 69°13.1'W), 20 m a.s.l., 12.xi.2005 (B.A. Huber).
- samatiaguassu** [*Mesabolivar*: Pholcidae] Huber, Brescovit & Rheims, 2005. 1♂ 1♀ PT. BRAZIL: São Paulo, Peruíbe, Estação Ecológica Juréia Itatins, 26.iv.-3.v.1999 (Brescovit, Rheims, Pinto da Rocha, Candiani, Japyassú, Mestre).
- santosi** [*Chibchea*: Pholcidae] Huber & Carvalho, 2019. 3♂ 8♀ 1 juv. PT (Ar 20628). BRAZIL: Acre, Cruzeiro do Sul, forest near Cruzeiro do Sul International Airport (7.596°S, 72.767°W), 200 m a.s.l., 30.x.2016 (B.A. Huber, L.S. Carvalho, E.O. Machado).
- sapo** [*Pemona*: Pholcidae] Huber in Huber & Carvalho, 2019. ♂ HT (Ar 20620). VENEZUELA: Bolívar, forest near Salto El Sapo at Canaima (6°14.5'N, 62°51'W), ~400 m a.s.l., 9.xii.2002 (B.A. Huber).
- seguin** [*Modisimus*: Pholcidae] Huber & Fischer, 2010 in Huber et al. 2010. ♂ HT. HAITI: Dept. Sud-Est, near Seguin at 18°18.2'N, 72°17.5'W, 990 m a.s.l., leaf litter in forest over coffee and banana, 28.xi.2007 (B.A. Huber).
- selva** [*Kairona*: Pholcidae] Huber & Carvalho, 2019. 2♂ 1♀ PT (Ar 20632). BRAZIL: Amazonas, Tabatinga, forest at the Brazilian army base Comando de Fronteira Solimões, 8° Batalhão de Infantaria (4.245°S, 69.923°W), 90 m a.s.l., 2–4.xi.2016 (B.A. Huber, L.S. Carvalho).
- seowi** [*Panjange*: Pholcidae] Huber, 2016 (in Huber & Leh Moi Ung. 2016). ♂ HT (Ar 14589). MALAYSIA-BORNEO: Sarawak, Mt. Penrissen near Borneo Highland Resort, Ma Gaseng Trail (1.124–1.127°N, 110.217°E), 870–930 m a.s.l., 14.vii.2014 (B.A. Huber, S.B. Huber).
- septitus** [*Mesabolivar*: Pholcidae] Huber, 2018. 4♂ 13♀ PT (Ar 19209–10). BRAZIL: Santa Catarina, Serra Geral National Park, Churriado Canyon (29.137°S, 49.953°W), forest near river, 150 m a.s.l., 20.x.2014 (B.A. Huber, L.S. Carvalho).
- septentrionalis** [*Carapoia*: Pholcidae] Huber 2016b. 4♂ 2♀ PT, ZFMK Ar 15894. BRAZIL: Pernambuco, Timbaúba, near São Vicente Ferrer, 'site 2', forest and banana plantation (7°35.6'S, 35°24.3'W), 360 m a.s.l., 28.v.2015 (B.A. Huber, L.S. Carvalho).
- serrapelada** [*Mesabolivar*: Pholcidae] Huber, 2018. 1♂ 2♀ PT (Ar 19168). BRAZIL: Pará, Serra Pelada (5.931°S, 49.674°W), 140 m a.s.l., rocky hill, 9.x.2016 (B.A. Huber, L.S. Carvalho).
- shyami** [*Brignolia*, Oonopidae] Ranasinghe & Benjamin, 2016a. ♂ HT 1♀ PT, ZFMK Ar 17999-18000, IFS_Oon_244-245. SRI LANKA: Kegalle District, Kurulukele FR (7°14'12"N, 80°20'33"E), 250 m, litter, 12.xi.2014 (N. Athukorala).
- simbok** [*Pholcus*: Pholcidae] Huber, 2011. ♂ HT. SOUTH KOREA: Chungcheongbuk-do (Prov.), Goisan-gun, Cave Simbok (36°46.6'N, 127°57.8'E), 19.i.2006 (B.W. Kim).
- similis** [*Mesabolivar*: Pholcidae] Huber, 2018. 1♂ 1♀ (♀ abdomen only, prosoma in pure ethanol) PT (Ar 19039). BRAZIL: Bahia, Fazenda Morro de Pedra (12°31.6'–31.8'S, 40°36.1–36.4'W), 490 m a.s.l., 14.v.2015 (B.A. Huber, L.S. Carvalho).
- simintang** [*Smeringopina*: Pholcidae] Huber 2013. ♂ HT (Ar 10293). GABON: Ogooué-Ivindo, Ivindo N.P. near Simintang (0°32.2'N, 12°41.3'E), 545 m a.s.l., forest, 16.viii.2011 (B.A. & S.R. Huber).
- sofifi** [*Giloloa*: Pholcidae] Huber in Huber & Carvalho, 2019. ♂ HT (Ar 20648). INDONESIA: Halmahera, degraded forest along river near Sofifi (0.715°N, 127.586°E), 130–180 m a.s.l., 11.xi.2009 (S. Sutono).
- soleil** [*Mystaria*: Thomisidae] Lewis & Dippenaar-Schoeman, 2014. ♀ HT (Ar 1287). UGANDA: Masindi District, Budongo forest [01°45'N, 31°25'E], alt 1200 m, secondary forest canopy fogging

- of *Cynometra alexandri*, 15–25.i.1997 (T. Wagner). 19♂ 17♀ PT (Ar 98, 147, 1273–80, 1282–86, 1288–95). KENYA: Kakamega Forest, and UGANDA: Budongo Forest.
- stakesbyi** [*Mystaria*: Thomisidae] Lewis & Dippenaar-Schoeman, 2014. 2♀ PT (Ar 137, 1297). KENYA: Western Province, Kakamega forest. 1♀ PT (Ar 1303). RWANDA: Est Province, Ibanda Makera, Rusumo. 4♂ 1♀ PT (Ar 1298–1302). UGANDA: Masindi District: Budongo forest.
- suassunai** [*Carapoia*: Pholcidae] Huber, 2018. 13♂ 10♀ PT (Ar 19261–62). BRAZIL: Paraiba, Parque Estadual da Mata do Pau Ferro (6°57.9'S, 35°44.9'W), 600 m a.s.l., 31.v.2015 (B.A. Huber, L.S. Carvalho).
- tabatinga** [*Mesabolivar*: Pholcidae] Huber, 2018. 10♂ 30♀ PT (Ar 18991–92). BRAZIL: Amazonas, forest near Tabatinga (4.244°S, 69.92–69.93°W), 90 m a.s.l., 2–4.xi.2016 (B.A. Huber, L.S. Carvalho).
- taita** [*Pholcus*: Pholcidae] Huber, 2011. ♂ HT. KENYA: Coast Prov., Taita Hills, Ngangao Forest (3°22.2'S, 38°20.4'E), 1810 m a.s.l., 19.i.2010 (B.A. Huber).
- tambunan** [*Pholcus*: Pholcidae] Huber, 2016 (in Huber et al. 2016b). ♂ HT. MALAYSIA-BORNEO: Sabah, Crocker Range between Kota Kinabalu and Tambunan, S-slope, forest along river (5.783°N, 116.339°E), 1430–1480 m a.s.l., on underside of leaf, 3.viii.2014 (B.A. Huber, S.B. Huber).
- tamoio** [*Mesabolivar*: Pholcidae] Huber, 2015. 18♂ 5♀ PT (Ar 12640). BRAZIL: São Paulo, Ubatuba, Fazenda Angelim (23°23.6'S, 45°03.8'W), ~60 m a.s.l., 16–18.xii.2003 (B.A. Huber).
- tanahrata** [*Pholcus*: Pholcidae] Huber, 2016 (in Huber et al. 2016b). ♂ HT (Ar 15692). MALAYSIA: Pahang, Cameron Highlands (4.460°N, 101.392°E), 1200 m a.s.l., forest along 'trail 9', leaf litter, 25.ii.2015 (B.A. Huber); adult 26.ii.2015; fixed 28.ii.2015.
- tapajos** [*Carapoia*: Pholcidae] Huber, 2018. 3♂ 5♀ PT (Ar 19237). BRAZIL: Pará, Floresta Nacional de Tapajós, km 67, 'site 1' (2.847°S, 54.972°W), 180 m a.s.l., 15.x.2016 (B.A. Huber, L.S. Carvalho).
- tapajos** [*Mesabolivar*: Pholcidae] Huber, 2018. 4♂ 6♀ PT (Ar 18957–58). BRAZIL: Pará, Floresta Nacional de Tapajós, km 83 (3.049°S, 54.928°W), 95 m a.s.l., 14–18.x.2016 (B.A. Huber, L.S. Carvalho).
- tchimbele** [*Smeringopina*: Pholcidae] Huber 2013. ♂ HT (Ar 10303). GABON: Estuaire, Monts de Cristal, between Tchimbélé and Kinguélé (0°33.8'N, 10°18.8'E), 520 m a.s.l., forest near river, 10.viii.2011 (B.A. & S.R. Huber).
- tebe** [*Smeringopina*: Pholcidae] Huber 2013. ♂ HT (Ar 10201). GABON: Ogooué-Ivindo, N Tébé (0°02.3'S, 13°40.9'E), 550 m a.s.l., forest along brook, 17.viii.2011 (B.A. & S.R. Huber).
- tenuis** [*Carapoia*: Pholcidae] Huber, 2018. 4♂ 3♀ PT (Ar 19239). BRAZIL: Pará, Floresta Nacional de Tapajós, km 83 (3.049°S, 54.928°W), 95 m a.s.l., 14–18.x.2016 (B.A. Huber, L.S. Carvalho).
- ternate** [*Aetana*: Pholcidae] Huber in Huber & Carvalho, 2019. ♂ HT (Ar 20649). INDONESIA: Ternate, Danau (Lake) Tolire (0.830°N, 127.311°E), 180–220 m a.s.l., degraded forest in ravine, 12.xi.2009 (S. Sutono).
- thomi** [*Panjange*: Pholcidae] Huber in Huber & Carvalho, 2019. ♂ HT (Ar 20660). INDONESIA: West Papua, Manokwari, Gunung Meja (0.860°S, 134.084°E), 190 m a.s.l., 8.xi.2009 (S. Sutono).
- tiburón** [*Modisimus*: Pholcidae] Huber & Fischer, 2010 in Huber et al. 2010. ♂ HT. HAITI: Dept. Sud-Est, 'Case Dent' (18°20.2'N, 72°16.4'W), La Visite N. P., 1880 m a.s.l., ravine in pine forest, 27.xi.2007 (B.A. Huber).
- tinooor** [*Arnapa*: Pholcidae] Huber in Huber & Carvalho, 2019. ♂ HT (Ar 20614). INDONESIA: Sulawesi, North Sulawesi, Tinooor Fall near Tomohon (1.3820°N, 124.8363°E), 500 m a.s.l., at rocks near waterfall, 2.xi.2009 (S. Sutono).
- togutil** [*Panjange*: Pholcidae] Huber in Huber & Carvalho, 2019. ♂ HT (Ar 20663). INDONESIA: Halmahera, degraded forest along river near Sofifi (0.715°N, 127.586°E), 130–180 m a.s.l., 11.xi.2009 (S. Sutono).
- tolire** [*Arnapa*: Pholcidae] Huber in Huber & Carvalho, 2019. ♂ HT (Ar 20611). INDONESIA: Ternate, at Danau (Lake) Tolire (0.830°N, 127.311°E), 180–220 m a.s.l., 12.xi.2009 (S. Sutono).
- toma** [*Leptopholcus*: Pholcidae] Huber, 2006 in Huber & Wunderlich 2006. ♂ HT. DOMINICAN REPUBLIC: San Cristóbal Prov., near Toma, 7.xi.2005 (B.A. Huber).
- toma** [*Modisimus*: Pholcidae] Huber & Fischer, 2010 in Huber et al. 2010. ♂ HT. DOMINICAN REPUBLIC: San Cristóbal Prov., near La Toma (18°27.5'N, 70°07.2'W, ~70 m a.s.l.), degraded forest,

- under dead leaves on ground, 7.xi.2005 (B.A. Huber).
- turkana** [*Smeringopus*: Pholcidae] Huber, 2012. ♂ HT (Ar 8565). KENYA: Rift Valley, Kacheliba [~1°28'N, 35°01'E?], 1400 m a.s.l., hot dry area, 4.viii.1972 (Murphy).
- turvo** [*Mesabolivar*: Pholcidae] Huber, 2018. 2♂ 4♀ PT (Ar 19222). BRAZIL: Rio Grande do Sul, Turvo National Park, Lagoas Trail near headquarters (27.231°S, 53.849°W), 400 m a.s.l., 29.x.2014 (B.A. Huber, L.S. Carvalho).
- ubatuba** [*Carapoia*: Pholcidae] Huber, 2005. 4♂ 5♀ PT. BRAZIL: São Paulo, Fazenda Angelim, 16-18.xii.2003 (B. A. Huber).
- ubin** [*Pholcus*: Pholcidae] Huber, 2016 (in Huber et al. 2016a). ♂ HT (Ar 15010). SINGAPORE: Pulau Ubin, degraded forest near park headquarters (1°24.2'N, 103°58.2'E), 20 m a.s.l., on leaves, 16.ii.2015 (B.A. Huber, J. Koh, D. Court).
- uludong** [*Pholcus*: Pholcidae] Huber, 2016 (in Huber et al. 2016b). ♂ HT (Ar 15694). MALAYSIA: Pahang, Ulu Dong, 'site 2' (3.937°N, 102.032°E), 190 m a.s.l., forest near river, leaf litter, 21.ii.2015 (B.A. Huber, A.R.M. Ghazali, K.A. Braima).
- una** [*Carapoia*: Pholcidae] Huber, 2005. 1♂ PT. BRAZIL: Bahia, Una, Reserva Biológica do Una, 13-16.iv.1998 (A.D. Brescovit et al.).
- unicornis** [*Mesabolivar*: Pholcidae] Huber, 2015. 7♂ 4♀ PT (Ar 12641). BRAZIL: São Paulo, Paranapiacaba, Estação Biológica do Alto da Serra (23°46.7'S, 46°18.6'W), 14-15.xii.2003 (B.A. Huber).
- upekkha** [*Wanniyala*: Pholcidae] Huber, 2019. ♂ HT (Ar 20085). SRI LANKA: Sabaragamuwa Province, above Dematagala (6.451°N, 80.751°E), 160 m a.s.l., 16.iii.2017 (B.A. Huber).
- utinga** [*Carapoia*: Pholcidae] Huber, 2018. 5♂ 7♀ PT (Ar 19255). BRAZIL: Pará, Belém, Parque Estadual do Utinga, 'site 2' (1.433°S, 48.410°W), 25 m a.s.l., 5-6.x.2016 (B.A. Huber, L.S. Carvalho).
- uva** [*Pholcus*: Pholcidae] Huber, 2019. ♂ HT (Ar 20054). SRI LANKA: Uva Province, Inginiyagala (7.225°N, 81.535°E), 110 m a.s.l., 12.iii.2017 (B.A. Huber).
- velox** [*Magana*: Pholcidae] Huber in Huber & Carvalho, 2019. ♂ HT (Ar 20623). OMAN: Ash Sharqiyah South, rock desert between Sur and Kamil (22.4616°N, 59.3870°E), 95 m a.s.l., 18.ii.2018 (B.A. Huber).
- viharekele** [*Wanniyala*: Pholcidae] Huber, 2019. ♂ HT (Ar 20090). SRI LANKA: Southern Province, Viharekele Forest (6.099°N, 80.594°E), 120 m a.s.l., 17.iii.2017 (B.A. Huber).
- viridis** [*Carapoia*: Pholcidae] Huber 2016b. 4♂ 2♀ PT, ZFMK Ar 15872-73. BRAZIL: Bahia, Reserva Ecológica da Michelin, 'site 2' (13°50.5'S, 39°14.5'W), ~140 m a.s.l., 6.x.2011 (B.A. Huber, A. Pérez González, M.A. Dias).
- visite** [*Tainonia*: Pholcidae] Huber & Astrin, 2009. ♂ HT (Ar 1485). HAITI: Dept. Sud-Est, La Visite National Park, 'Case Dent' (18°20.2'N, 72°16.4'W), 1880 m a.s.l., ravine in pine forest, 27.xi.2007 (B.A. Huber).
- voltavelha** [*Carapoia*: Pholcidae] Huber 2016b. 5♂ 7♀ PT, ZFMK Ar 15816-17. BRAZIL: Santa Catarina, Itapoá, Reserva Volta Velha (26°05.8'S, 48°39.1'W), 20 m a.s.l., 27-28.ix.2009 (B.A. Huber, J. Ricetti).
- wagneri** [*Copuetta*: Corinnidae] Haddad 2013. ♂ HT, 1♂ PT (Ar 10557-8). UGANDA: Budongo Forest (1°45'N, 31°25'E), 1200 m a.s.l., canopy fogging, 5-15.i.1997 (T. Wagner).
- wataita** [*Buitinga*: Pholcidae] Huber & Warui, 2012. ♂ HT (Ar 8737), 9♂ 6♀ PT (Ar 8738-39). KENYA: Coast Prov., Taita Hills, Ngangao Forest (3°22.2'S, 38°20.4'E), 1810 m a.s.l., 19.i.2010 (B.A. Huber).
- woongil** [*Pholcus*: Pholcidae] Huber, 2011. ♂ HT. SOUTH KOREA: Gyeonggi-do (Prov.), Mt. Woongil (37°33.6'N, 127°15.9'E), Namyangju-si (City), 29.v.2000 (B.W. Kim).
- yeongwol** [*Pholcus*: Pholcidae] Huber, 2011. ♂ HT. SOUTH KOREA: Gangwon-do (Prov.), Yeongwol-eup (37°11.2'N, 128°28.0'E), Yeongwol-gun (County), 3.x.2002 (B.W. Kim).
- yucuma** [*Mesabolivar*: Pholcidae] Huber, 2018. 12♂ 13♀ PT (Ar 19176). BRAZIL: Rio Grande do Sul, Turvo National Park, near Salto do Yucumã (27.136°S, 53.882°W), 175 m a.s.l., 28.x.2014 (B.A. Huber, L.S. Carvalho).
- ziama** [*Spermophora*: Pholcidae] Huber & Kwapong 2013. ♂ HT (Ar 10532). GUINEA: Guinée Forestière, Forêt Classée de Ziama (8°24.2'N, 9°19.3'W), 640 m a.s.l., 2.xii.2008 (B.A. Huber).
- zumbii** [*Carapoia*: Pholcidae] Huber 2016b. 7♂ 6♀ PT, ZFMK Ar 15849-50. BRAZIL: Bahia, Reserva Particular do Patrimônio Nacional Serra Bonita (15°23.3'-23.4'S, 39°33.7'-34.0'W), ~750-850 m a.s.l., 2-

3.x.2011 (B.A. Huber, A. Pérez González, M.A. Dias).

SCORPIONES

apatris [*Scorpiobuthus*] Werner, 1939. Present name: *Uroplectes chubbi* Hirst, 1911 (Fet & Sissom 1997). ♀ LT, 1♀ PLT. INDIA: Central India, had dried up, '83, 84', ZFMK Sc350-1.

australasiae longimanus [*Hormurus*] Werner, 1939. Present name: *Liocheles australasiae longimanus* (Werner, 1939) (Locket 1997). ♂ LT, 1♀ PLT.

INDONESIA: Sumatra, 'Montes Battak', 'coll. Fruhsdorfer', '110, 111', ZFMK Sc257-8.

trichiurus paucidens [*Hadogenes*] Werner, 1939. Present name: *Hadogenes trichiurus weneri* Fet, 1997 (Fet 1997). HT. No data, had dried up, '109', ZFMK Sc207.

PANTOPODA

asiaticum [*Pycnogonum*] Müller, 1992. ♂ HT, 7 PT. MALAYSIA: Pulau Babi Besar, 1-2 m depth, 2-9.iv.1991 (H.-G. Müller). ZFMK Pa 506-508.

bicorniculata [*Ammothea*] Stiboy-Risch, 1992. 1♂ adult PT. ANTARCTICA: Princess Martha Coast (73°23'S, 21°30'W), 473 m depth, 18.ii.1985; ZFMK Py 92.1. ZFMK Pa 83.

coralliophila [*Cheilopallene*] Müller, 1992. ♂ HT. MALAYSIA: Pulau Tioman, 1-3 m depth, 12-17.iv.1991 (H.-G. Müller). ZFMK Pa 390.

kenyensis [*Callipallene*] Müller, 1990a. (junior syn. of *Callipallene gabriellae*, Correa, 1948) 2 PT. KENYA: near Watamu, south of Malindi, 0-0.5 m depth, 24.vii.-7.viii.1998 (H.-G. Müller). ZFMK Pa 239.

macabou [*Nymphon*] Müller, 1990b. HT, 3 PT. FRENCH ANTILLES: Martinique, Petite Anse de Macabou, 0-1 m depth, 6-15.iv.1990 (H.-G. Müller). ZFMK Pa 403-404.

magnum [*Pentapycnon*] Stiboy-Risch, 1994 (junior syn. of *Pentapycnon bouvieri* Pushkin, 1993). 1♀ adult PT. ANTARCTICA: Princess Martha Coast (73°11.1'S, 20°34.15'W), 413-429 m depth, 23.i.1985, ZFMK Py 94.1. ZFMK Pa 505.

pseudotarsalis [*Anoplodactylus*] Müller, 1992. ♂ HT, 3 PT. MALAYSIA: Pulau Babi Besar, 1-2 m depth, 2-9.iv.1991 (H.-G. Müller). ZFMK Pa 460.

sandromagni [*Anoplodactylus*] Krapp, 1996. HT, 8 PT. INDIA: Kerala coast, near Trivandrum, near waterline, ii.1990 (M. Daccordi).

tayronae [*Anoplodactylus*] Müller & Krapp, 2009. PT. MARTINIQUE: Petite Anse de Macabou, 1 m depth, 6-10.iv.1990 (H.-G. Müller). ZFMK Pa 221.

watamu [*Ammothea*] Müller, 1990a. 6 PT. KENYA: near Watamu, south of Malindi, 0-0.5 m depth, 24.vii.-7.viii.1998 (H.-G. Müller). ZFMK Pa 84.

AMPHIPODA

alacris [*Apherusa*] Krapp-Schickel, 1969. PT. CROATIA: Rovinj (Adriatic Sea), *Zostera*, 20-25 m depth, slides Nr. 4/69-76.

chireghinii [*Apherusa*] Giordani-Soika, 1950. 2♀, 1♂ PT. ITALY: Venice, ZFMK 19-340-342, slides Nr. 4/46-48.

eduardi [*Stenothoe*] Krapp-Schickel, 1976. 1♀ ovigerous PT. ITALY: Naples, Ischia, sponges, ZFMK 19-145, slide Nr. 2/46.

elachista [*Stenothoe*] Krapp-Schickel, 1976. 2♂ 1♀ PT. ITALY: Livorno, sand, 3-4 m depth, 43°43'10"N, 10°13'40"E, ZFMK 19-121-123, slides Nr. 2/22-24.

emancipata [*Gammaropsis*] Krapp-Schickel & Myers, 1979. 1♂ 1♀ ST. ITALY: Naples, 25-40 m depth, ZFMK 19-25-26, slides Nr. 1/26-27 [P1/26 lost].

pirata [*Idunella*] Krapp-Schickel, 1974. ST. CROATIA: Dalmacia, Ilarin near Sibenik, 54 m depth, 43°43'00"N, 15°47'36"E, ZFMK 19-14, slide Nr. 1/14.

psaltrica [*Liljeborgia*] Krapp-Schickel, 1974. PT. ITALY: Ancona, mud, 95-100 m depth, 42°15'00"N, 15°05'00"E, ZFMK 19-15, slide Nr. 1/15.

spuria [*Amphithoe*] Krapp-Schickel, 1978

(present spelling: *Ampithoe spuria*). PT, 12 specimens. CROATIA: Rovinj (Adriatic Sea), ZFMK 19-232-243, slides Nr. 3/36-47. **venetiarum** [*Leucothoe*] Giordani-Soika, 1950. PT. ITALY: Venice, Laguna Veneta, ZFMK 19-155, slide Nr. 2/57.

Acknowledgements. Thanks to S. Lankhorst for preparing large parts of the original catalogue published in 2010, to F. Krapp and G. Krapp-Schickel for help with the Pantopoda and Amphipoda lists, and to A. Fain, A. Bochkov, and K.-H. Schmidt for help with Acari names.

REFERENCES

- de Cock AWAM, Fain A, Mendez E, Lukoschus FS (1975) *Marsupialichus marmosae* n. sp. (Acarina: Glycyphagidae) from *Marmosa robinsoni isthmica*. Journal of Medical Entomology, Honolulu 12(1): 55-57
- Domrow R (1980) Some laelapine parasites of Australasian mammals (Acari: Dermanyssidae). Records of the Western Australian Museum 8(2): 207-235
- Fain A (1970a) Diagnoses de nouveaux listrophorides de la famille Atopomelidae (Acarina: Sarcoptiformes). Bulletin et Annales de la Societe royal Belgique (Entomologie) 106: 275-306
- Fain A (1970b) Diagnoses de nouveaux lobaigides et listrophorides (Acarina: Sarcoptiformes). Revue de Zoologie et Botanique Africaine 81: 271-300
- Fain A (1972) Les listrophorides d'Australie et de Nouvelle-Guinée (Acarina: Sarcoptiformes). Bulletin de l'Institut Royal des Sciences Naturelles Belgique (Entomologie) 48(5): 1-196
- Fain A (1973) Diagnoses d'acariens nouveaux (Listrophoroidea et Myobiidae). Revue de Zoologie et Botanique Africaine 87(2): 330-332
- Fain A (1976a) Arachnides acariens Astigmata Listrophoroidea. Faune du Madagascar 42: 1-131
- Fain A (1976b) Diagnoses de nouveaux Atopomelidae neotropicaux (Acarina: Astigmata). Bulletin et Annales de la Societe royal Belgique (Entomologie) 112: 145-148
- Fain A (1979) Les listrophorides d'Amérique neotropicale (Acarina: Astigmata). 2. Famille Atopomelidae. Bulletin de l'Institut Royal des Sciences Naturelles Belgique (Entomologie) 51(7): 1-158
- Fain A (1980) On some new or little known genera and species of Listrophoridae (Astigmata). International Journal of Acarology 6(3): 179-190
- Fain A (1981) Le genre *Listrophoroides* Hirst, 1923 (Acari, Astigmata, Atopomelidae) dans la région orientale. Bulletin de l'Institut Royal des Sciences Naturelles Belgique (Entomologie) 53(6): 1-123
- Fain A, Kok NJJ, Lukoschus FS, Clulow FV (1971) Notes on the hypopial nymphs phoretic on mammals in Canada with description of a new species (Acarina: Sarcoptiformes). Canadian Journal of Zoology 49: 15-18
- Fain A, Lukoschus FS (1971) Parasitic mites of Surinam. 15. Nasal ereynetid mites of bats with a key to the known species (Trombidiformes). Bulletin et Annales de la Societe royal Belgique (Entomologie) 107: 284-297
- Fain A, Lukoschus FS (1974) *Oryxteroxenus pygidialis* spec. nov. parasite de musaraignes africaines (Acarina: Sarcoptiformes). Revue de Zoologie et Botanique Africaine 88(4): 843-845
- Fain A, Lukoschus FS (1976) Observations sur les Myobiidae d'Insectivores avec description de taxa nouveaux (Acarina: Prostigmata). Acta zoologica et pathologica Antverpica 66: 121-188
- Fain A, Lukoschus FS (1978a) Three new species of the genus *Lynxacarus* Redford, 1951 from Insectivora (Acari: Listrophoridae). International Journal of Acarology 4(3): 227-231
- Fain A, Lukoschus FS (1978b) New endofollicular and subcutaneous hypopi from mammals (Acarina: Astigmata). Acarologia 19(3): 484-493
- Fain A, Lukoschus FS (1979a) Five new fur-mites (Acari) from *Allactaga sibirica* Forster, 1778. (Results of the Mongolian-German Biological Expeditions since 1962, no 81). Mitteilungen des zoologischen Museums Berlin 55(2): 233-242
- Fain A, Lukoschus FS (1979b) Parasites of Western Australia. 5. Nasal mites from bats (Acari:

- Gastronyssidae and Ereyenetidae). Records of the Western Australian Museum 7(1): 57-60
- Fain A, Lukoschus FS (1980) *Soriculopus nepalensis* g. n., sp. n. (Acari: Glyciphagidae) an endofollicular hypopus from Nepalese shrews (*Soriculus* sp.). Folia parasitologica 27(2): 183-185
- Fain A, Lukoschus FS (1981a) Two new species of *Cheyletus* Latreille, 1796 (Acari, Cheyletidae, Prostigmata) from gerbills. Rivista de Parassitologia 42(1): 121-125
- Fain A, Lukoschus FS (1981b) Parasites of Western Australia 10. Labidocarpinae from bats (Acari: Listrophoroidea, Chirodiscidae). Records of the Western Australian Museum 8(4): 517-532
- Fain A, Lukoschus FS (1981c) Parasites of Western Australia 11. Atopomelidae from marsupials (Acari: Listrophoroidea). Records of the Western Australian Museum 8(4): 533-562
- Fain A, Lukoschus FS (1981d) Parasites of Western Australia 12. Atopomelidae parasitic on rodents (Acari: Listrophoroidea). Records of the Western Australian Museum 8(4): 563-588
- Fain A, Lukoschus FS (1985) The genus *Schizocarpus* Trouessart, 1896 (Acari, Chirodiscidae) from the beaver *Castor fiber* L.: an example of multiple speciation. Entomologische Abhandlungen des Museums für Tierkunde, Dresden 49(2): 35-68
- Fain A, Lukoschus FS, Cauwenberghe A (1973) Un nouvel acarien de la famille Atopomelidae *Atopomelus talpae* sp. n. parasite de la taupe romaine *Talpa romana* (Listrophoroidea: Sarcoptiformes). Redia 54: 59-62
- Fain A, Lukoschus FS, Kok NJJ, Clulow FV (1974) A key to the genus *Lutrilichus* Fain and description of a new species from the ermine *Mustela erminae* in Canada (Acarina: Sarcoptiformes). Canadian Journal of Zoology 52: 941-944
- Fain A, Lukoschus FS, Nadchatram M (1980) Two new species of *Cheletophyes* Oudemans, 1914 (Prostigmata: Cheyletidae) from the nest of a Carpenter bee in Malaysia. International Journal of Acarology 6(4): 309-312
- Fain A, Munting AJ, Lukoschus F (1969) Diagnoses de nouveaux Myocoptidae de Hollande et de Belgique (Acarina: Sarcoptiformes). Revue de Zoologie et Botanique Africaine 79: 389-392
- Fain A, Whitacker JO Jr, Lukoschus FS (1978) *Quasilistrophorus microticolus* gen. n. et sp. n. (Acari: Listrophoridae) from North American microtine rodents. Journal of Parasitology 64(6): 1097-1099
- Fet V (1997) Notes on the taxonomy of some Old World scorpions (Scorpiones: Buthidae, Chactidae, Ischnuridae, Scorpionidae). Journal of Arachnology 25: 245-250
- Fet V, Sissom WD (1997) A new generic synonymy in scorpions: *Scopiobuthus* Werner = *Uroplectes* Peters (Scorpiones, Buthidae). Journal of Arachnology 25: 408-409
- Giordani-Soika A (1950) Gli anfipodi gammarini della Laguna di Venezia. Archivos de Oceanographia e Limnologia 6: 165-212
- Haddad C (2013) Taxonomic notes on the spider genus *Messapus* Simon, 1898 (Araneae, Corinnidae), with the description of the new genera *Copuetta* and *Wasaka* and the first cladistic analysis of Afrotropical Castianeirinae. Zootaxa 3688: 1-79
- Huber BA (2002) *Ninetis russellsmithi* n. sp., an unusual new pholcid spider species from Malawi (Araneae: Pholcidae). Journal of Insect Science 2(4): 1-3. Available online: insectscience.org/2.4
- Huber BA (2003) Southern African pholcid spiders: revision and cladistic analysis of *Quamtana* gen. nov., and *Spermophora* Hentz (Araneae: Pholcidae), with notes on male-female covariation. Zoological Journal of the Linnean Society 139: 477-527
- Huber BA (2005) Revision and cladistic analysis of the spider genus *Carapoia* González-Sponga (Araneae: Pholcidae), with descriptions of new species from Brazil's Atlantic forest. Invertebrate Systematics 19: 541-556
- Huber BA (2009) Life on leaves: leaf-dwelling pholcids of Guinea, with emphasis on *Crossopriza cylindrogaster*, a spider with inverted resting position, pseudo-eyes, lampshade web, and tetrahedral egg-sac (Araneae: Pholcidae). Journal of Natural History 43: 2491-2523
- Huber BA (2011) Revision and cladistic analysis of *Pholcus* and closely related taxa (Araneae, Pholcidae). Bonner zoologische Monographien 58: 1-509
- Huber BA (2012) Revision and cladistic analysis of the Afrotropical endemic genus

- Smeringopus* Simon, 1890 (Araneae: Pholcidae). Zootaxa 3461: 1-138
- Huber BA (2013) Revision and cladistic analysis of the Guineo-Congolian spider genus *Smeringopina* Kraus (Araneae, Pholcidae). Zootaxa 3713: 1-160
- Huber BA (2015) Small scale endemism in Brazil's Atlantic Forest: 14 new species of *Mesabolivar* (Araneae, Pholcidae), each known from a single locality. Zootaxa 3942: 1-60
- Huber BA (2016a) A new genus of litter-dwelling pholcine spiders from Sarawak (Araneae, Pholcidae). European Journal of Taxonomy 186: 1-15.
<http://dx.doi.org/10.5852/ejt.2016.186>
- Huber BA (2016b) Spider diversity and endemism in a South American hotspot: 20 new species of *Carapoia* (Araneae: Pholcidae) from Brazil's Atlantic Forest. Zootaxa 4177: 1-69.
<http://dx.doi.org/10.11646/zootaxa.4177.1.1>
- Huber BA. (2017) Revision and cladistic analysis of the Southeast Asian leaf-dwelling spider genus *Calapnita* (Araneae, Pholcidae). Zootaxa 4219: 1-63.
<http://doi.org/10.11646/zootaxa.4219.1.1>
- Huber BA. (2018) The South American spider genera *Mesabolivar* and *Carapoia* (Araneae, Pholcidae): new species and a framework for redrawing generic limits. Zootaxa 4395: 1-178. <https://doi.org/10.11646/zootaxa.4395.1.1>
- Huber BA. (2019) The pholcid spiders of Sri Lanka (Araneae: Pholcidae). Zootaxa 4550: 1-57.
<https://doi.org/10.1164/zootaxa.4550.1.1>
- Huber BA, Astrin JJ (2009) Increased sampling blurs morphological and molecular species limits: revision of the Hispaniolan endemic spider genus *Tainonia* (Araneae: Pholcidae). Invertebrate Systematics 23: 281-300
- Huber BA, Brescovit AD, Rheims CA (2005) Exaggerated female genitalia in two new spider species (Araneae: Pholcidae), with comments on genital evolution by female choice versus antagonistic coevolution. Insect Systematics and Evolution 36: 285-292
- Huber BA, Carvalho LS. (2019) Filling the gaps: descriptions of unnamed species included in the latest molecular phylogeny of Pholcidae (Araneae). Zootaxa 4546: 1-96.
<https://doi.org/10.1164/zootaxa.4546.1.1>
- Huber BA, Dimitrov D (2014) Slow genital and genetic but rapid non-genital and ecological differentiation in a pair of spider species (Araneae, Pholcidae). Zoologischer Anzeiger 253: 394-403. <http://dx.doi.org/10.1016/j.jcz.2014.04.001>
- Huber BA, El Hennawy H (2007) On Old World nineteen spiders (Araneae: Pholcidae), with a new genus and species and the first record for Madagascar. Zootaxa 1635: 45-53
- Huber BA, Fischer N, Astrin JJ (2010) High level of endemism in Haiti's last remaining forests: revision of *Modisimus* (Araneae: Pholcidae) on Hispaniola, using morphology and molecules. Zoological Journal of the Linnean Society 158: 244-299
- Huber BA, Koh JKH, Ghazali ARM, Nuñez O, Leh Moi Ung C, Petcharad B (2016b) New leaf- and litter-dwelling species of the genus *Pholcus* from Southeast Asia (Araneae, Pholcidae). European J Taxonomy 200: 1-45. <http://dx.doi.org/10.5852/ejt.2016.200>
- Huber BA, Kwapong P (2013) West African pholcid spiders: an overview, with descriptions of five new species (Araneae, Pholcidae). European Journal of Taxonomy 59: 1-44
- Huber BA, Le Gall P, Mavoungou JF (2014) Pholcid spiders from the Lower Guinean region of Central Africa: an overview, with descriptions of seven new species (Araneae, Pholcidae). European Journal of Taxonomy 81: 1-46
- Huber BA, Leh Moi Ung C (2016) The *Panjange nigrifrons* group in Borneo (Araneae: Pholcidae): high diversity in Sarawak, apparent absence in Sabah. European Journal of Taxonomy 184: 1-32. <http://dx.doi.org/10.5852/ejt.2016.184>
- Huber BA, Nuñez OM (2015) Evolution of genital asymmetry, exaggerated eye stalks, and extreme palpal elongation in *Panjange* spiders (Araneae: Pholcidae). European Journal of Taxonomy 169: 1-46. <http://dx.doi.org/10.5852/ejt.2015.169>
- Huber BA, Nuñez OM, Leh Moi Ung C (2015b) Revision, phylogeny, and microhabitat shifts in the Southeast Asian spider genus *Aetana* (Araneae, Pholcidae). European Journal of Taxonomy 162: 1-78. <http://dx.doi.org/10.5852/ejt.2015.162>
- Huber BA, Nuñez OM, Leh Moi Ung C (2016) The Philippine hair wax spiders and their relatives: Revision of the *Pholcus bicornutus* species group (Araneae, Pholcidae). European Journal of Taxonomy 225: 1-34. <http://dx.doi.org/10.5852/ejt.2016.225>
- Huber BA, Petcharad B, Bumrungsri S (2015a) Revision of the enigmatic Southeast Asian spider genus *Savarna* (Araneae, Pholcidae). European Journal of Taxonomy 160: 1-23.

- <http://dx.doi.org/10.5852/ejt.2015.160>
- Huber BA, Petcharad B, Leh Moi Ung C, Koh JKH, Ghazali ARM (2016a) The Southeast Asian *Pholcus halabala* species group (Araneae, Pholcidae), new data from field observations and ultrastructure. *European Journal of Taxonomy* 190: 1-55.
<http://dx.doi.org/10.5852/ejt.2016.190>
- Huber BA, Rheims CA (2011) Diversity and endemism of pholcid spiders in Brazil's Atlantic Forest, with descriptions of four new species of the Atlantic Forest endemic genus *Tupigea* (Araneae: Pholcidae). *Journal of Natural History* 45: 275-301
- Huber BA, Rheims CA, Brescovit AD (2005) Two new species of litter-dwelling *Metagonia* spiders (Araneae, Pholcidae) document both rapid and slow genital evolution. *Acta Zoologica (Stockholm)* 86: 33-40
- Huber BA, Warui CM (2012) East African pholcid spiders: an overview, with descriptions of eight new species (Araneae, Pholcidae). *European Journal of Taxonomy* 29: 1-44.
<http://dx.doi.org/10.5852/ejt.2012.29>
- Huber BA, Wunderlich J (2006) Fossil and extant species of the genus *Leptopholcus* in the Dominican Republic, with the first case of egg-parasitism in pholcid spiders (Araneae: Pholcidae). *Journal of Natural History* 40: 2341-2360
- Husband RW (1986) New taxa of Podapolipidae (Acarina) from S. African Coleoptera: result of the King Leopold III Foundation for the exploration and protection of nature. *Bulletin de l'Institut Royal des Sciences Naturelles Belgique (Entomologie)* 56: 1-14
- Kanesharatnam N, Benjamin SP (2016) Three new generic records and descriptions of four new species of jumping spiders (Araneae, Salticidae) from Sri Lanka. *European Journal of Taxonomy* 228: 1–23. <http://dx.doi.org/10.5852/ejt.2016.228>
- Kniest FM, Lukoschus FS, Weisser CF (1982) *Orycteroxenus soricis nepalensis* subsp. nov. (Acaridida: Glycyphagidae) from *Soriculus caudatus* (Insectivora: Soricidae). *Acarologia* 22(4): 399-401
- Kok NJJ, Lukoschus FS, Fain A (1971) Four new species of the genus *Gliricoptes* Lawrence, 1956, from European hosts (Acarina: Sarcotiformes). *Acta zoologica et pathologica Antverpica* 52: 43-63
- Kolebinova M (1979) *Leptotrombidium (Ericotrombidium) rheinwaldi* n. sp., a new larval Trombiculidae (Acarina) from Morocco. *Bonner zoologische Beiträge* 30(3-4): 487-490
- Krapp F (1996) *Anoplodactylus sandromagni* n. sp. from Kerala, South India (Pycnogonida, Arthropoda). *Bolletino do Museo civico di Storia naturale, Verona* 20: 521-529
- Krapp-Schickel G (1969) Drei Vertreter der Gattung *Apherusa* an der Westküste Istriens (Crustacea - Amphipoda). *Memorias do Museo civico di Storia naturale, Verona* 16: 419-439
- Krapp-Schickel G (1974) Neues über die Liljeborgiiden des Mittelmeeres (Crustacea, Amphipoda). *Bolletino do Museo civico di Storia naturale, Verona* 1: 455-472
- Krapp-Schickel G (1976) Die Gattung *Stenothoe* (Crustacea, Amphipoda) im Mittelmeer. *Bijdragen tot de Dierkunde* 46: 1-34
- Krapp-Schickel G (1978) Die Gattung *Amphithoe* (Crustacea, Amphipoda) im Mittelmeer. *Bijdragen tot de Dierkunde* 48: 1-15
- Krapp-Schickel G, Myers AA (1979) The Mediterranean species of *Gammaropsis* Liljeborg (Crustacea: Amphipoda). *Bolletino do Museo civico di Storia naturale, Verona* 6: 441-467
- Lewis ASH, Dipenaar-Schoeman AS (2014) Revision of the spider genus *Mystaria* Simon, 1895 (Araneae: Thomisidae) and the description of a new genus from the Afrotropical region. *Zootaxa* 3873(2): 101-144
- Locket NA (1997) *Liocheles extensa*, a replacement name for *Liocheles longimanus* Locket, 1995 (Scorpiones: Ischnuridae). *Records of the Western Australian Museum* 18: 331
- Lukoschus FS, Gerrits PH (1977) Two new species and one new subspecies of the genus *Neotetracopus* Fain, 1969 (Glycyphagidae: Sarcotiformes) from Old World insectivores. *Entomologische Mitteilungen der zoologischen Station des zoologischen Museums Hamburg* 5(96): 127-136
- Lukoschus FS, Gerrits PH, Fain A (1977a) A new genus of follicle-inhabiting hypopi (Glycyphagidae: Sarcotiformes) from Asian moles. *International Journal of Acarology* 3(1): 47-53
- Lukoschus FS, Gerrits PH, Fain A (1977b) Three new species of the genus *Orycteroxenus* Zachvatkin, 1941 (Acarina: Sarcotiformes: Glycyphagidae). *Senckenbergiana biologica*

- 58(1-2): 83-91
- Lukoschus FS, Janssen-Duijghuijsen GHS, Fain A (1977) Three new species of genus *Metalabidophorus* Fain, 1967 (Glycyphagidae: Sarcoptiformes) from American rodents. *International Journal of Acarology* 3(1): 9-18
- Lukoschus FS, Janssen-Duijghuijsen GHS, Fain A (1979) Parasites of Western Australia. III. *Alabidopus muris* sp. nov. (Acarina: Astigmata: Glycyphagidae) from *Rattus tunneyi*. *Records of the Western Australian Museum* 7(1): 29-36
- Lukoschus FS, Kniest FM, Krantz GW (1979) *Orycteroxenus merriami* spec. nov. (Acaridida: Glycyphagidae) from *Sorex merriami* (Insectivora: Soricidae). *International Journal of Acarology* 5: 143-146
- Lukoschus FS, Scheperboer G, Fain A, Nadchatram M (1981) Life cycle of *Alabidopus asiaticus* sp. nov. (Acarina: Astigmata: Glycyphagidae) and hypopus of *Alabidopus malaysiensis* sp. nov. ex *Rattus* spp. from Malaysia. *International Journal of Acarology* 7(1-4): 161-177
- Lukoschus FS, Woeltjes T, Juckwer EA, Fain A (1979) Life cycle of *Orycteroxenus galemys* sp. nov. (Astigmata: Glycyphagidae). *International Journal of Acarology* 5(1): 29-38
- Mertens LAJM, Lukoschus FS, Nutting WB (1983) *Demodex huttereri* spec. nov. (Acarina: Prostigmata: Demodicidae) from the Meibomian glands of *Apodemus agrarius* (Rodentia: Muridae). *Bonner zoologische Beiträge* 34(4): 489-498
- Micherdzinski W (1980) Eine taxonomische Analyse der Familie Macronyssidae Oudemans, 1936. 1. Subfamilie Ornithonyssinae Lange, 1958 (Acarina, Mesostigmata). *Panstwowe Wydawnictwo Naukowe, Warsaw*
- Müller H-G (1990a) Shallow-water Pycnogonida from Kenya and Sri Lanka, with descriptions of three new species. *Bonner zoologische Beiträge* 41(1): 63-79
- Müller H-G (1990b) Shallow-water Pycnogonida from Martinique, French Antilles, with description of *Nymphon macabou* n. sp. *Bonner zoologische Beiträge* 41(3/4): 277-285
- Müller H-G (1992) Pycnogonida from Malaysian coral reefs, including descriptions of three new species. *Bonner zoologische Beiträge* 43(1): 155-178
- Müller H-G & Krapp F (2009) The Pycnogonid Fauna (Pycnogonida, Arthropoda) of the Tayrona National Park and adjoining areas on the Caribbean coast of Colombia. *Zootaxa* 2319: 1-138.
- Ponomarev AV (2005) New and interesting finds of spiders (Aranei) in the southeast of Europe. *Bulletin of the Southern Scientific Centre of the Russian Academy of Science* 1(4): 43-50 [in Russian]
- Pushkin AF (1993) The Pycnogonida fauna of the South Ocean. Biological results of the Soviet Antarctic expeditions. *Explorations of the fauna of the seas* 20(30): 1-397
- Ranasinghe UGSL, Benjamin SP (2016a) A review of Sri Lankan *Brignolia* including the description of four new species (Araneae: Oonopidae). *Zootaxa* 4144(4): 451-476. <http://doi.org/10.11646/zootaxa.4144.4.1>
- Ranasinghe UGSL, Benjamin SP (2016b) The Goblin spider genus *Xestaspis* in Sri Lanka (Araneae: Oonopidae). *Zootaxa* 4189(1): 60-80. <http://doi.org/10.11646/zootaxa.4189.1.2>
- Seyfulina RR, Jocqué R (2009) *Venia kakamega* gen. n., sp. n., a new, canopy-dwelling, Afrotropical erigonine spider (Araneae, Linyphiidae). *Journal of Afrotropical Zoology* 5: 3-13
- Stiboy-Risch C (1992) *Ammothea bicorniculata*, eine neue Art der Ammotheidae aus der Antarktis (Pantopoda, Pycnogonida). *Bonner zoologische Beiträge* 43(2): 333-338
- Stiboy-Risch C (1994) *Pentapycnon magnum*, eine neue Art der Pycnogonidae aus der Antarktis (Pantopoda, Pycnogonida). *Bonner zoologische Beiträge* 45: 147-151
- Tanasevitch AV (1998a) *Gorbothorax* n. gen., a new linyphiid spider genus from the Nepal Himalayas (Arachnida, Araneae, Linyphiidae). *Bonner zoologische Beiträge* 47: 421-428
- Tanasevitch AV (1998b) New *Oedothorax* Bertkau, 1883, from Nepal (Arachnida, Araneae, Linyphiidae). *Bonner zoologische Beiträge* 47: 429-441
- Tenorio JM, Radovsky FJ (1979) Review of the subfamily Hirstionyssinae, synonymy of *Echinonyssus* Hirst and *Hirstionyssus* Fonseca, and descriptions of four new species of *Echinonyssus* (Acari: Laelapidae). *Journal of Medical Entomology, Honolulu* 16(5): 370-412
- Werner F (1939) Ueber einige Scorpione aus dem Museum Alexander Koenig. *Festschrift*

Embrük Strand 5: 361-362

- Wirth V von, Striffler BF (2005) Neue Erkenntnisse zur Vogelspinnen–Unterfamilie Ornithoconinae, mit Beschreibung von *Ornithoconus aureotibialis* sp. n. und *Haplopelma longipes* sp. n. (Araneae, Theraphosidae). *Arthropoda* 13(2): 2-27
- Wohltmann A, Köhler J, Martin P (2006) Endoparasitic mite infections of anuran amphibians from Bolivian montane rain forests, with descriptions of two new *Hannemania* species (Acari: Parasitengona: Trombiculidae: Leeuwenhoekiiinae). *Organisms, Diversity & Evolution* 6: 141-150